NEW PRODUCT CATALOG

2013 vol.1

Roland CONNECT.
JAN. 2013

Roland

BOSS

cakewalk by Roland

- V-Combo VR-09
- RD-64
- TD-4KP
- BT-1
- BK-3
- HPi-50
- CD-2u
- SD-2u
- CUBE Lite
- CUBE Lite MONITOR
- G-5A
- GR-D
- GR-S
- TE-2
- DA-2
- MO-2
- STUDIO-CAPTURE
- DUO-CAPTURE mk2

V-Combo VR-09

Instant Access to Inspiring Tones and Live Expression

Travel-ready, affordable, and outfitted with top-level Roland sounds, the V-Combo VR-09 is the ideal all-in-one solution for performing keyboard players. Dedicated piano, organ, and synth sound engines—organized in three intuitive blocks on the front panel—provide all the essential tones you need, right under your fingertips. The powerful real-time controls give you maximum expression on stage, with nine sliders for tone shaping and a large array of knobs and buttons for tweaking the seven simultaneous effects and various parameters. Other great features include an onboard looper, a drum section stocked with a library of rhythms for practice and jamming, and more. With its versatile sound selection, inspiring operation, and smart user interface, the V-Combo VR-09 is a dream come true for gigging musicians.

- Professional keyboard with instant-access operation for performing musicians
- Light and mobile; battery or AC power
- Pro-quality acoustic and electric pianos, including grand piano with 88-note stereo multi-sampling
- SuperNATURAL-powered Virtual Tone Wheel organ with nine harmonic bars, plus newly developed transistor-type '60s organ tone
- Wide range of synth tones, from vintage classics to modern essentials
- Seven simultaneous effects with dedicated real-time controls
- Looper and built-in rhythm patterns; WAV/MP3/SMF song playback via optional USB memory
- Free VR-09 Editor app available for iPad

Gallery

V-Combo VR-09

※ Intuitive Operation for Expressive Stage Performance

The V-Combo VR-09 was designed from the ground up with the needs of live players in mind. An intuitive front-panel layout and clear LCD screen offers quick access to Roland's top piano, organ, and synth sound engines, along with plenty of real-time controls for expressive tone manipulation. Seven simultaneous effects include rotary, delay, reverb, tone, overdrive, compressor, and customizable MFX, with dedicated knobs that tweak multiple parameters with a single twist for powerful sound shaping with minimal effort. The smart interface makes it simple to set up splits and layers on the fly, and to save all your keyboard settings in user memory locations for instant recall on stage.

V-Combo VR-09 with DP-10, EV-7 and KS-12

※ Pro Acoustic and Electric Pianos

Piano is a cornerstone sound for live playing, and the V-Combo VR-09 is filled with a wide selection for covering all musical styles. The gorgeous acoustic grand piano features 88-note stereo multi-sampling, delivering pro-level tone that rivals Roland's dedicated stage pianos. Many popular vintage E. Piano sounds are onboard as well, along with complimentary effects such as vintage phaser and tremolo. The compressor—accessible via a dedicated, easy-to-reach knob—transparently boosts the level of the piano sounds, ensuring that your playing always cuts through when performing in loud bands.

V-Combo VR-09
with PK-9, KS-12 and BNC-15-BK

※ World-Class Organs

Roland's renowned SuperNATURAL technology powers the V-Combo VR-09's classic tonewheel organs, while nine harmonic bars provide authentic real-time performance control. A newly developed transistor-type organ is also included, offering the unique sound of combo instruments from the 1960s. The 61-note keyboard has an extremely fast response, perfect for essential organ techniques such as trill, sputter, glissando, and percussive hits. Rotary speaker and amp simulators reproduce the characteristics of vintage organ speaker cabinets and overdriven tube circuits with astounding realism, while a new "Twin Rotary" option delivers a deep, aggressive effect never before heard.

V-Combo VR-09

Vintage and Modern Synth Tones

The V-Combo VR-09 is packed with a ton of ready-to-play synthesizer sounds, from vintage analog classics like JUNO strings and '80s synth brass to textured, modern-era digital tones and beyond. Front-panel controllers allow you to tweak the synth tones intuitively in real time, including convenient ADR and cutoff/resonance adjustment with the harmonic bars in the ORGAN block. Onboard effects like "Bit Crash" provide the ability to create modern synth voices for current dance music, including dubstep.

VR-09 Editor for iPad

The free VR-09 Editor app for iPad gives you powerful, intuitive control of the organ and synth sound engines via your tablet's full-color touchscreen interface. Quickly edit organ sounds and customize vintage tonewheel characteristics such as leakage, click noise, and rotary speed, and easily access synth sounds to build custom tones and layers. After tweaking sounds at home, you can take your iPad to the gig and use the app for extra real-time control on stage. Convenient, cable-free communication between the V-Combo VR-09 and iPad is simple to set up with Roland Wireless Connect. Alternately, you can link up with a USB cable via Apple's iPad Camera Connection Kit.

Dynamic Performance Tools

A number of creative features provide inspiring tools to expand and enhance your onstage experience. The onboard looper allows you to record tracks on the fly and build amazingly rich ensemble sounds in seconds using the V-Combo VR-09's large selection of tones. WAV, MP3, and SMF songs can be played directly from convenient USB flash memory, giving you a full-band sound for working solo or with small combos, while a wide array of onboard rhythms offer backing for practice and performing. Finally, the famous D-BEAM controller gives you powerful expression with a wave of your hand, letting you control sound parameters and effects in a dynamic way that's always a big hit with audiences.

VR-09 Editor

Shown with optional WNA1100-RL Wireless USB Adaptor

V-Combo VR-09

❖ V-Combo VR-09 Specifications

[Keyboard]

- Keyboard
61 keys (with velocity)

- Keyboard Modes
Whole, Dual (volume balance adjustable), Split (split point, volume balance adjustable), 2-manual mode (when using sold separately MIDI keyboard)

[Sound Generator Section]

- Organ Section
Virtual Tone Wheel method (SuperNATURAL)

- MIDI Format
Conforms to GM2, GS, XG Lite

- Maximum Polyphony
128 voices

- Parts
Organ (3 parts), Piano (2 parts), Synthesizer (2 parts)
Drum (1 part), GM2 (16 parts)

- Sounds
223 sounds

- Registrations
100 (4 x 25 banks)

- Effects (7 systems always on / global control)
Overdrive, Tone, Compressor
Multi-effects: 20 types
Delay: 6 types
Reverb: 6 types
Rotary: 2 types

[SMF/Audio File Player Section]

- Playable File Format
SMF File: Format 0, 1
Audio File: WAV, AIFF, MP3

- Recording Format
SMF File: Format 0
Audio File: WAV (44.1 kHz, 16-bit linear, stereo)

[Looper Section]

- Recording Time
20 seconds (stereo)

[Others]

- Rhythm Patterns
52

- Controller
Virtual Tone Wheel organ: Harmonic bar x 10
Synthesizer controller: Slider x 5
D-BEAM controller
Pitch bend/Modulation lever
Effects knob x 6 (global control)

- Display
Graphic LCD 128 x 64 dots

- External Memory
USB Flash Memory

- Connectors
Output (L/MONO, R) jacks: 1/4-inch phone type
PHONES jack: Stereo 1/4-inch phone type
EXT INPUT jack: Stereo miniature phone type
DAMPER jack: TRS 1/4-inch phone type
EXPRESSION PEDAL jack: TRS 1/4-inch phone type
MIDI (IN, OUT) connectors
PK IN connector: 8-pin DIN type
USB COMPUTER port: USB Type B (supports USB MIDI)
USB MEMORY port: USB Type A
DC IN jack

- Power Supply
AC Adaptor, Rechargeable Ni-MH Battery (AA, HR6) x 8

- Current Draw
650 mA

- Expected battery life under continuous use:
Rechargeable Ni-MH battery: Approx. 5 hours (approx. 3 hours if USB flash drive is connected)

These figures will vary depending on the specifications of the batteries and the actual conditions of use.
* Carbon-zinc batteries and alkaline batteries cannot be used

- Dimensions
1008 (W) x 300 (D) x 106 (H) mm
39-11/16 (W) x 11-13/16 (D) x 4-3/16 (H) inches

- Weight (excluding AC adaptor)
5.5 kg, 12 lbs 3 oz

- Accessories
Owner's Manual, AC Adaptor, Power Cord, USB Memory Protector

- Options (sold separately)
Keyboard Stand: KS-18Z, KS-12
Keyboard Bag: CB-61RL
Damper Pedal: DP series
Expression Pedal: EV series
Pedalboard: PK-6, PK-9
USB Flash Memory

All specifications and appearances are subject to change.

* Use USB Flash Memory sold by Roland. We cannot guarantee operation if other products are used.

*Apple, the Apple logo, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

RD-64
Digital Piano

SuperNATURAL Piano | SuperNATURAL | IVORY FEEL G | D-BEAM | USB

Grand Piano Sound and Touch in a Compact Instrument

Previously, the only avenue to an authentic piano sound and touch was a large, heavy, and hard-to-carry keyboard. Now, with the RD-64 Digital Piano, stage and studio players can enjoy Roland's acclaimed piano features in a compact, travel-friendly instrument. SuperNATURAL Piano technology powers ultra-expressive acoustic piano tones, while the 64-note Ivory Feel-G keyboard provides a true weighted-action playing feel. Also onboard is a selection of SuperNATURAL-based vintage EPs, plus essential clav and organ tones. Controller mode instantly turns the RD-64 into a flexible MIDI master keyboard, with a special one-touch setup that unlocks the SuperNATURAL sound potential in a connected INTEGRA-7 sound module or JUPITER-80/-50 synth. Streamlined and mobile, the RD-64 delivers piano-action performance and impressive versatility for live playing, on-the-go composing, home studios, teaching labs, and beyond.

- Grand piano sound and weighted keyboard action in a compact, mobile instrument

- SuperNATURAL Piano sound engine delivers authentic, expressive acoustic piano sounds

- E. Piano based on SuperNATURAL technology provides vintage electric pianos modeled with extraordinary accuracy

- 12 versatile tones onboard, including clav and organ sounds

- 64-note Ivory Feel-G Keyboard with Escapement for a pro-quality piano touch

- Streamlined design that's light and easy to carry

- Two-band EQ and reverb, plus two multi-effects (EFX 1, EFX 2) for each tone category

- Controller mode* provides MIDI master keyboard functionality, including a dedicated, one-touch setup for controlling SuperNATURAL tones in the INTEGRA-7 sound module and JUPITER-80/-50 synthesizers

- Pitch bend/mod lever and D-BEAM

- iPad compatibility via Apple's iPad Camera Connection Kit

When the RD-64 is used in Controller mode, the onboard tones are not available.

Gallery

RD-64
Digital Piano

Streamlined and Travel-Ready

With the RD-64, gigging players now have access to a compact, weighted-action stage piano that's as easy to transport as a synthesizer. The streamlined, lightweight design fits easily in small vehicles and takes up less space on crowded stages, plus it makes fly dates less costly and more convenient for touring musicians. It also works great as a high-quality, space-saving keyboard for home studios, teaching labs, and mobile composing. The optional CB-61RL Carrying Bag is a perfect match for the RD-64, providing durable protection when you're on the move.

Travel with your RD-64 using the optional CB-61RL Carrying Bag.

SuperNATURAL Piano and Other Essential Sounds

The RD-64 features Roland's acclaimed SuperNATURAL Piano sound engine for top-level acoustic piano tones, plus a selection of expressive SuperNATURAL-based electric pianos. The rich, ultra-responsive sounds have a wide dynamic range with seamless variations in tone, delivering pro results for stage playing and studio recording. Also onboard are a number of clav and organ sounds, giving performing keyboardists the essential sounds they need for playing a wide range of music styles.

Ivory Feel-G Keyboard

The 64-note Ivory Feel-G keyboard in the RD-64 incorporates Roland's most advanced sensor technology, escapement mechanism, and Ivory Feel features. This gives you the superior touch, sensitivity, and appearance of the keyboards found in our flagship 88-note pianos, right down to the unique key material that replicates the authentic texture and moisture-absorbing properties of real ivory and ebony. Combined with the SuperNATURAL Piano sound engine, the Ivory Feel-G offers expressivity and performance that rivals high-end instruments.

Effects and More

Onboard effects include a high-quality stereo reverb, plus EFX 1 and EFX 2 processors that provide sweetening specifically tailored to each of the RD-64's tone categories. Options include enhancer and damper resonance for grand piano sounds, tremolo and phaser for EPs, and many more, with quick on/off access via easy-to-reach buttons. There's even a dedicated rotary effect for the organ, featuring on/off and speed controls for authentic organ performance. A two-band EQ is provided for overall sound shaping, with easy adjustment on the fly via two convenient knobs. Stereo RCA inputs allow you to connect a music player for live backing tracks and practicing.

Advanced Controller Features

In a flash, Controller mode* turns the RD-64 into a powerful master keyboard outfitted with assignable knobs, buttons, pitch bend/mod lever, and the famous D-BEAM, perfect for controlling synths and other devices on stage and in the studio. Additionally, the one-touch SuperNATURAL button automatically assigns the RD-64's controllers to fully utilize the massive expressive potential of the SuperNATURAL tones in Roland's INTEGRA-7 sound module and JUPITER-80/-50 synthesizers.

When the RD-64 is used in Controller mode, the onboard tones are not available.

Ideal for iPad Music Production

With an ever-increasing number of music apps available, the iPad is becoming more and more popular for basic production and on-the-go composing. By plugging in via Apple's iPad Camera Connection Kit, the RD-64 gives you a mobile, weighted-action keyboard to use with the popular tablet computer.

RD-64 Specifications

[Keyboard]
- Keyboard
   64 keys (Ivory Feel-G keyboard with Escapement)

- Touch Sensitivity
   Key Touch: 5 types

[Sound Generator]
- Sound Generators
   SuperNATURAL Piano
   SuperNATURAL (E.Piano)
   Virtual Tone Wheel Organ

- Max. Polyphony
   128 voices

- Tones
   12 Tones

- Master Tuning
   415.3–466.2 Hz (adjustable in increments of 0.1 Hz)

- Transpose
   Key Transpose: -6 to +5 (in semitones)

- Effects
   EFX 1, EFX 2, REVERB

- Equalizer
   2-band Digital Equalizer

[Other]
- Controllers
   MASTER VOLUME knob
   EQ Hi knob
   EQ Low knob
   Pitch Bend/Modulation lever
   D-BEAM controller

- Buttons
   [A.PIANO] button
   [E.PIANO] button
   [CLAV] button
   [ORGAN] button
   [Tone Variation 1–3] buttons
   [Function] button
   [SuperNATURAL] button
   [Octave +/-] buttons
   [Transpose] button
   [EFX 1, 2] buttons
   [REVERB] button

- Switch
   [POWER] switch

- Display
   Power indicator LED
   Octave indicator LED

- Connectors
   DAMPER Pedal jack: 1/4-inch TRS phone type
   FC1, FC2 Pedal jacks: 1/4-inch TRS phone type
   MIDI OUT connector
   USB COMPUTER port: USB Type B
   OUTPUT jacks (L/MONO, R): 1/4-inch phone type
   INPUT jacks (L, R): RCA Phono type
   PHONES jack: Stereo 1/4-inch phone type
   DC IN jack

- Power Supply
   AC adaptor

- Power Consumption
   4 W

- Dimensions
   1,114 (W) x 273 (D) x 116 (H) mm
   43-7/8 (W) x 10-3/4 (D) x 4-5/8 (H) inches

- Weight
   12.8 kg
   28 lbs 4 oz

- Accessories
   Owner's Manual
   AC adaptor
   Power cord (for AC adaptor)
   Damper pedal (capable of continuous detection)

- Options (sold separately)
   Headphones
   Keyboard Stand: KS-18Z, KS-12
   Pedal Unit: RPU-3
   Damper Pedal: DP-10
   Pedal Switch: DP-2
   Expression Pedal: EV-5, EV-7

All specifications and appearances are subject to change.

TD-4KP
V-Drums Portable

Innovative Design for Maximum Mobility

Featuring a small footprint and an innovative folding design for fast breakdown and easy transport/storage, the TD-4KP V-Drums Portable is the ultimate e-kit for mobile drumming and small spaces. The powerful TD-4 sound module is equipped with a wide range of expressive, editable sounds and essential practice features, while the integrated pads provide a satisfying feel and natural playability. Perfect for small venues, rehearsals, lesson studios, bedrooms, apartments, and more, the TD-4KP combines V-Drums performance and features with impressive mobility and stow-away convenience.

- Renowned V-Drums sound and quality in an ultra-portable mobile kit
- Innovative folding design for quick, compact breakdown and easy transport/storage
- Includes TD-4 Percussion Sound Module, loaded with expressive sounds, Coach and Quick Record/Play functions, and more
- Eight pads total: kick, snare, toms x3, hi-hat, crash and ride cymbals; FD-8 Hi-Hat Controller included
- Snare and tom pads feature cushioned-rubber surfaces for natural playing feel
- Options: custom carrying case (CB-TDP); mesh-head snare pad (PDX-6/-8); pad mount (MDH-12); drum accessory package (DAP-3X); drum mat (TDM series)

Gallery

*Kick pedal is not included.

Folded

Fold, Pack up and Go

The TD-4KP is truly portable, with an innovative fold-up stand design that transforms the kit into a surprisingly condensed size for transport and storage. Breakdown is a snap—the sound module and drum/cymbal pads are attached to the durable, integrated stand, and all components rotate and/or fold down quickly and easily in place along with the stand. When you want to play again, simply unfold everything and adjust the pad positions, and then you're ready to roll!

Natural-Feel Pads for Expressive Playing

The TD-4KP comes with a kick pad, snare pad*, three tom pads, a hi-hat pad, and two 10-inch cymbal pads (crash and ride). An FD-8 Hi-Hat Controller pedal is included as well. Outfitted with cushioned-rubber playing surfaces, the compact 7.5-inch drum pads provide a sensitive, accurate response and natural playing feel.

* An optional PDX-6 / PDX-8 V-Pad is required to play rimshots and cross stick.

TD-4 Percussion Sound Module

A wide range of expressive drum and percussion tones are provided with the included TD-4 sound module. Sounds can be easily edited, allowing players to quickly customize their kits. The TD-4 also features ambience effects for lively, dynamic performances. Built-in Coach and Quick Record/Quick Play functions are ideal for effective practice, providing drummers with valuable feedback for rapid improvement.

Custom Carrying Case and More

An optional CB-TDP Carrying Case provides a convenient way to transport and protect the TD-4KP. The custom-designed case is a perfect complement to the V-Drums Portable, and includes a shoulder strap and detachable pouches for hi-hat and kick pedals, plus handy pockets for beaters, sticks, and other accessories. Users can also swap out the snare pad with an optional PDX-6 or PDX-8 V-Pad and MDH-12 Pad Mount for a true mesh-head feel and dual-triggering capability.

CB-TDP
(Carrying Case for TD-4KP)

⚙ TD-4KP Specifications

- Kit Configuration
   Kick Pad, Snare, Hi-Hat, Hi-Hat Pedal, Tom x 3, Crash, Ride
    * Kick pedal and drum throne are not included.

- Dimensions
    1,000 (W) x 1,200 (D) x 1,250 (H) mm
    39-3/8 (W) x 47-1/4 (D) x 49-1/4 (H) inches
* Includes kick pedal, cymbals, and drum throne.
* Setting size is adjustable.

- Folded Dimensions
    300 (W) x 500 (D) x 700 (H) mm
    11-13/16 (W) x 19-11/16 (D) x 27-9/16 (H) inches

- Weight (excluding AC adaptor)
    12.5 kg
    27 lbs 9 oz

- Accessories
    Setup Guide x 2
    Owner's Manual
    AC Adaptor
    Special Connection Cable
    Wing Bolt (M5 x 10) x 2

- Options (sold separately)
    Carrying Case: CB-TDP
    Pads: PDX series
    Pad Mount: MDH series
    Personal Drum Monitor: PM-03, PM-10
    V-Drums Accessory Package: DAP-3X
    V-Drums mat: TDM series
    V-Drums Tutor: DT-1

TD-4: Percussion Sound Module

- Instruments
    Drum Instruments: 125

- Drum Kits
    25

- Instrument Parameters
    KICK, SNARE, TOM, PERC: Tuning, Muffling

- Mixer Parameters
    Pad Volume, Pan, Kit Volume, Cross Stick Volume

- Ambience Types
    9

- Rhythm Coach Functions
    Warm Ups
    Time Check
    Tempo Check
    Quiet Count
    Auto Up/Down

- Quick Rec
    Resolution: 96 ticks per quarter note
    Recording Method: Real-time
    Maximum Note Storage: approx. 9,000 Notes

- Display
    Custom (backlit LCD)

- Connectors
    Trigger Input Connector: DB-25 type (Kick, Snare, Tom1, Tom2, Tom3, Hi-Hat, Crash1, Ride, Hi-Hat Control)
    OUTPUT (L/MONO, R) jacks: 1/4 inch phone type
    PHONES Jack: Stereo 1/4 inch phone type
    MIX IN Jack: Stereo miniature phone type
    MIDI OUT Connector

- Output Impedance
    1 k ohm

- Power Supply
    AC Adaptor

- Current Draw
    500 mA

- Dimensions
    224.0 (W) x 151.1 (D) x 65.1 (H) mm
    8-7/8 (W) x 6 (D) x 2-9/16 (H) inches

- Weight (excluding AC adaptor)
    477 g
    1 lb 1 oz

All specifications and appearances are subject to change.

Versatile Add-On Trigger Pad for V-Pads and Acoustic Drums

The compact and affordable BT-1 Bar Trigger Pad makes it easy to add electronic triggering to any drum kit. With a curved shape that mounts on the side of a V-Drums V-Pad or acoustic drum, it provides convenient playing access without disturbing your existing kit layout. The BT-1 is great not only for playing sounds in a V-Drums module or SPD-series percussion pad, but also for convenient control of a variety of functions like start/stop of backing songs and phrase loops, and much more.

- Compact and reliable single-trigger pad

- Curved shape for mounting on a V-Pad or acoustic drum

- Quick and easy mounting through a drum tension rod; attachment parts for standard rod-type mounts included

- Internal design eliminates false triggering while playing surrounding drums and/or pads

- Use with a V-Drums module or SPD-series percussion pad to trigger sounds and control functions such as start/stop of backing songs and phrase loops, effects on/off, kit selection, tap tempo, and more

- Great way to add electronic triggering to any acoustic kit or additional triggering to a V-Drums set

Gallery

Front

Rear
(Attached to a standard rod-type mount)

BT-1 Package

BT-1
Bar Trigger Pad

�֎ Additional Triggering for V-Drums Kits

If you're a V-Drums player, the compact BT-1 makes it simple to incorporate additional triggers without having to add more pads. This gives you access to additional sounds, as well as convenient control of an enormous range of performance features in your V-Drums module or an SPD-series percussion pad. And with its small size, it's easy to add additional BT-1s as needed to continuously expand the expressive power of your Roland percussion rig.

✖ Easily Incorporate Electronics with Acoustic Drums

The BT-1 is an easy and affordable way to integrate electronics with your acoustic kit. Unlike large round pads and inconvenient foot switches, the BT-1 blends seamlessly with your kit without adjusting your setup or playing style. Simply plug the BT-1 into a trigger input on a V-Drums module or SPD-series percussion pad and enjoy a universe of new possibilities that Roland electronic percussion brings.

▓ BT-1 Specifications

- Trigger
　1

- Connector
　OUTPUT jack (Stereo 1/4-inch phone type)

- Dimensions
　170 (W) x 53 (D) x 60 (H) mm
　6-3/4 (W) x 2-1/8 (D) x 2-3/8 (H) inches

- Weight
　300 g
　11 oz

- Accessories
　Owner's manual
　Attachment
　Attachment bolt
　Spacer
　Connection cable (stereo)

- Supported V-Drums pads
　PD-128S
　PD-128
　PD-108
　PD-125
　PD-105
　PDX-100
　PD-85

- Acceptable rod diameters
　8.0–12.5 mm
　(3/8–1/2 inch)

- Options (sold separately)
　Pad Mount (MDH series)

All specifications and appearances are subject to change.

BK-3
Backing Keyboard

Your Personal Backup Band

Perfect for solo entertainers and home hobbyists alike, the BK-3 Backing Keyboard brings a new level of performance to entry-level auto-accompaniment instruments. Featuring a wide range of quality onboard sounds and rhythms, song playback via USB memory, built-in speakers, and more, this portable, self-contained keyboard puts the power of a full ensemble under your fingertips. From one-person shows to social gatherings to personal practice, the BK-3 brings endless hours enjoyment for playing all musical styles.

- Portable, self-contained keyboard with built-in sound system
- High-quality sounds, rhythms, and Music Assistants
- Comfortable, intuitive user interface
- Compatible with music rhythms from Roland's BK, E, G, and VA series
- Play a variety of backing formats (SMF, MP3, WAV, and rhythms) and record performances with optional USB memory
- Roland Wireless Connect capability for cable-free communication with iPhone and iPad; free iOS apps available for music sharing, lyrics display, and more
- Available in black or white finish

Gallery

BK-3 BK (Black)

BK-3 WH (White)

BK-3 BK (Black)

BK-3 WH (White)

BK-3
Backing Keyboard

�des Wide Range of Sounds and Rhythms Onboard

The BK-3 is filled with sounds and rhythms covering an extensive range of music genres from around the world, including Eastern Europe, Latin America, and Asia. There are over 850 tones and 50 drum kits built in, providing a universe of voices for melody playing and accompaniment. Compatibility with GM2, GS, and XG Lite formats ensures high-quality playback with Standard MIDI Files.

✦ Play Backing Tracks and Rhythms via USB Memory

The BK-3 can play a variety of external backing formats from optional USB memory, including WAV and MP3 audio, SMF, and Roland rhythms (BK, E, G, and VA series). Playback tempo and song key can easily be adjusted to suit your vocal range or performing needs, even with audio files. In addition, a Center Cancel function reduces the volume of vocals in commercial WAV/MP3 songs, ideal for karaoke singing and minus-one playing.

✦ Easy Audio Recording

A dedicated front-panel button makes it simple to record audio directly to USB memory, allowing you to capture full-ensemble BK-3 performances any time you wish for self-evaluation and sharing with friends and family. Your recordings are saved as CD-quality WAV data, making it easy to transfer them to your computer for burning audio CDs.

✦ Roland Wireless Connect for iPhone and iPad

Compatibility with Roland Wireless Connect allows BK-3 players to communicate with an Apple iPhone or iPad over a wireless network via the optional WNA1100-RL Wireless USB Adapter. There are a number of fun, free iOS apps available, including Air Recorder for capturing BK-3 audio to your iPhone, and Lyrics Viewer for displaying SMF song lyrics on your iPad. And with Show Your Music, you can create video clips of your music performances and share them on your favorite social networks!

⊞ BK-3 Specifications

- Display
132 x 64 pixels, graphic monochrome LCD (backlit)

- Keyboard
61 velocity sensitive keys

[Sound Generator]
- Max. Polyphony
128 voices (GM2/GS/XG Lite compatible)

- Sounds
851 Tones; 53 Drum Sets

- Multitimbral Parts
2 keyboard parts (UPP, LWR) + 16 song parts

- Key Control (Transpose)
–6 to +5 in semitones (for audio/MIDI data)

- Tempo Change
20–250 BPM for SMF and rhythms
75–125% for mp3 and WAV files

- Part Mute Functions
TRACK MUTE: Rhythms, SMF; CENTER CANCEL: mp3, WAV

[Effects]
- Real Time Parts (UPP, LWR)
Reverb and Chorus: depending on Rhythm/SMF Reverb Chorus Macro. 1 MFX (84 editable MFX macros; selectable via Tone Part MFX). EQ

- Rhythms/SMF section
Reverb: 8 types. Chorus: 8 types. 2 MFX (84 editable MFX macros; selectable via Makeup Tools). EQ

[Backing Section]
- Rhythms
250 in 5 "Rhythm" families (localized rhythms for specific areas are included in the WORLD 1 and WORLD 2 families)

- One Touch Memories
4 suitable Tones for each Rhythm (programmable)

- Rhythm and SMF Makeup Tools
Instrument-oriented editing

- Real Time Player
Rhythms (STL), SMF (Format 0/1), KAR, mp3, WAV

[Performance Memories]
- Performance Lists
Unlimited number (storage on USB memory)
Over 500 "Music Assistant" memories (internal memory)
5 "Factory Song" memories (internal memory)

- Performance Memories Per List
Max. 999

- Search Function
Quick location of Rhythms and Songs on the connected USB memory

[Recording]
- Media
USB Flash Memory

- Save Format
Audio Files: WAV (44.1 kHz, 16-bit linear)

[Lyrics]
- Lyrics
SMF, mp3/WAV

[Connectors]
- Phone/Output Jack
1/4" phone type (TRS connector)

- USB Ports
USB COMPUTER connector (Type B, reception and transmission of MIDI data)
USB MEMORY (Type A, data-storage devices)

- MIDI Connectors
MIDI IN, MIDI OUT (Visual Control function)

- Pedal Jack
PEDAL HOLD/SWITCH (assignable)

[General Specifications]
- Speakers
2 x 10 cm

- Rated Power Output
2 x 7.5 W RMS

- Power Supply
AC Adaptor (PSB-1U Adaptor)

- Auto Off Function
Off , 10 min, 30 min, 240 min

- Dimensions
Without music rest:
1044 (W) x 317 (D) x 129 (H) mm
41-1/8 (W) x 12-1/2 (D) x 5-1/8 (H) inches.
Including music rest
1044 (W) x 408 (D) x 318 (H) mm
41-1/8 (W) x 16-1/16 (D) x 12-9/16 (H) inches.

- Weight
7.5 kg (excluding AC adaptor and music rest)
16 lbs 9 oz (excluding AC adaptor and music rest)

- Accessories
Owner's Manual
PSB-1U AC Adaptor
Power Cord (for connecting the AC adaptor)
Music Rest

- Options
USB flash memory (M-UF-series)
Wireless USB Adaptor (WNA1100-RL)
DP-series/BOSS FS-5U footswitch
Keyboard Bag (CB-61W)

All specifications and appearances are subject to change.

HPi-50
Digital Piano

SuperNATURAL Piano · DigiScore · Acoustic Projection · PHA III · IVORY FEEL · PDA PEDAL · MIDI VISUAL CONTROL · V-LINK · GS · XG XGlite · GENERAL MIDI2 · SMF LYRICS

ism · USB · USB MEMORY · Roland Wireless Connect

Top-Level Features Bring the Joy of Playing Piano to Your Entire Family

Bringing together the best of Roland's piano technologies in one attractive, space-saving instrument, the HPi-50 offers premium performance at an incredible value. The acclaimed SuperNATURAL Piano sound engine delivers rich, gorgeous tone, while the PHA III Ivory Feel Keyboard with Escapement provides a true grand piano touch that endlessly inspires. Powerful onboard DigiScore features are displayed in high resolution on the large color LCD built into the music rest, with digital sheet music and a wide range of skill-building exercises and games that make learning and playing fun for all ages, from children to adults. Rounding out the impressive HPi-50 is the advanced Acoustic Projection audio system, which fills your living space with beautiful, natural piano sound.

*Actual bench may vary.

- Roland's top-level piano features brought together in one instrument
- SuperNATURAL Piano sound engine for organic, expressive sound and response
- Top-of-the-line PHA III Ivory Feel Keyboard with Escapement
- Interactive DigiScore training programs built in, featuring digital sheet music plus entertaining skill-building games and exercises
- Large, high-resolution (1280 x 800) color LCD built into the music rest
- 50 onboard rhythm accompaniments and nearly 400 internal songs, including popular études such as Czerny 100 and Hanon, plus classical masterpieces and popular songs
- 16-part SMF song recorder built in; records and plays WAV audio songs via optional USB flash memory
- Innovative Acoustic Projection system for natural, multidimensional sound
- Progressive Damper Action pedal
- Wood cabinet with beautiful Simulated Rosewood finish

Gallery

✳ SuperNATURAL Piano Onboard

The HPi-50 features Roland's SuperNATURAL Piano sound engine for seamless velocity response, natural note decay, and authentic key-range behavior, delivering perfect piano sound and expression. As you play, the tone color changes naturally in response to your touch, from the softest notes to the loudest. Tone decay is also natural and organic, with the sound not only decreasing in volume, but also gradually softening in tone as the notes fade away. With SuperNATURAL Piano technology, every note has its own character, faithful to the performance of a real acoustic grand.

✳ Magnificent Touch with PHA III

Further enhancing the SuperNATURAL Piano experience is the flagship PHA III (Progressive Hammer Action III) Ivory Feel keyboard with Escapement. With its fast key repetition and sensitivity, this keyboard faithfully translates the subtle tonal differences of different playing styles and the force at which the keys are played. Additionally, the keys are finished with a unique material that has moisture-absorbing properties, offering the natural texture and tactile sensation of real ivory and ebony.

✳ High-Resolution DigiScore

Roland's DigiScore displays digital sheet music on the large, built-in color LCD. The resolution has been greatly enhanced over previous models, with the ability to show 32nd notes and up to 48 measures* of music at one time. In addition, the new Auto Sync feature ensures that the onscreen notation perfectly follows your performance regardless of your tempo, with the digital pages turned in sync as well. Onboard exercises make sharpening your skills challenging and fun, as do numerous features such as the graphical metronome, onscreen keyboard, fingering number display, and many others.

48 measures can be shown when you choose to display notes only and set the notation screen display size to "small."

DigiScore

Notation-Based Programs

A wide variety of interactive practice features offer solid support for developing piano skills. The Finger Training course displays the "finger power" in both hands on screen while playing the built-in Hanon exercises, and the Visual Lesson application identifies areas in the digital sheet music that you need to work on. These and other features provide powerful tools to improve your playing, no matter whether you're a beginner just starting out or an advanced pianist who has been playing for years.

Skill-Building Games

Students and children will enjoy the HPi-50's friendly, interactive DigiScore games, which provide a fresh, innovative way to learn at their own pace. For example, the DoReMi Course is a no-pressure review on music reading and fingering techniques, while the Scroll Game lets you play along with a graphical piano roll on the display. Also included is the new Medal Collection application, which awards gold, silver, or bronze medals based on accuracy while playing along with the built-in songs. Challenging and entertaining, the games are great fun for children and adults alike.

Acoustic Projection Sound System

The unique sound space that is created when you play an acoustic piano is realized through a complex yet harmonious combination of elements. The HPi-50 provides an identical multidimensional sound experience through innovative Acoustic Projection technology, which delivers its magic though an advanced multi-channel speaker system. Each speaker is specifically located inside the HPi-50's cabinet to properly project each sound element in its natural position, with all elements intelligently blended to reproduce the true sound field of an acoustic piano.

Lesson Menu

Medal Collection

❖ HPi-50 Specifications

[Keyboard]
- Keyboard
  88 keys (PHA III Ivory Feel Keyboard with Escapement)

- Touch Sensitivity
  Key Touch: 100 types, Fixed Touch
  Hammer Response: 0–10

- Keyboard Mode
  Whole, Dual (volume balance adjustable), Split (split point adjustable), Twin Piano

[Pedals]
- Pedals
  Damper (Progressive Damper Action Pedal, capable of continuous detection)
  Soft (capable of continuous detection, function assignable), Sostenuto (function assignable)

[Sound Generator]
- Piano Sound
  SuperNATURAL Piano Sound

- MIDI Format
  Conforms to GM2, GS, XG Lite

- Max. Polyphony
  128 voices

- Tones (Total 348 tones)
  Piano: 16 tones, E. Piano: 10 tones, Vibraphone: 6 tones
  Strings: 11 tones, Organ: 13 tones, Voice: 9 tones, Pad: 5 tones, Guitar/Bass: 6 tones, Winds: 6 tones, Drums: 10 tones (9 drum sets, 1 SFX set), GM2: 256 tones

- Temperament
  8 types, selectable temperament key

-Stretched Tuning
  Preset
  User tuning (adjustable in individual notes: -50.0 to +50.0 cent)
  Off

- Master Tuning
  415.3 Hz–466.2 Hz (adjustable in increments of 0.1 Hz)

- Transpose
  Key Transpose: -6 to +6 (in semitones), Playback Transpose (including audio files): -6 to +6 (in semitones)

- Effects
  Ambience (0–10), Brilliance (0–10)
  Only for piano tones (Piano Designer):
  Open/close lid (0–6), Hammer Noise (1–5), Damper Resonance (0–10), Duplex Scale (0–10), String Resonance (0–10), Key Off Resonance (0–10), Cabinet Resonance (0–10), Soundboard Behavior (0–10), Damper Noise (0–10)
  Only for organ tones: Rotary Speaker Effect (Slow/Fast)

[Metronome]
- Tempo
  Quarter note = 10–500

- Beat
  2/2, 0/4, 2/4, 3/4, 4/4, 5/4, 6/4, 7/4, 3/8, 6/8, 9/8, 12/8

- Volume
  Off, 10 levels

- Pattern
  11 patterns

- Sound
  8 types

[SMF Recorder]
- Tracks
  3 tracks

- Song Format
  Standard MIDI Files (Format 0)

- Storage Quantity
  Recorder section: 1 song, Internal memory: Max. 200 songs

- Note Storage
  Approx. 30,000 notes

- Recording Method
  Replace, Mix

- Control
  Song Select, Play/Stop, Rec, Rewinding, Fast-forwarding, Reset, Track Mute, Mute Volume, Tempo, Tempo Mute, All Songs Play, Count-in, Song Balance, AB Repeat

- Tempo
  Quarter note = 10–500

- Resolution
  120 ticks per quarter note

- Edit
  Copy, Insert, Delete, Erase, Part Exchange, Quantize, Transpose, Note Edit, PC Edit, Notation Mark, Key Signature, Beat Map

[Audio]
- Playable format
  Audio files (WAV format, 44.1 kHz, 16-bit linear)

- Recording (when using sold separately USB Flash Memory)
  Keyboard, SMF data, Audio from Input jacks

- Recording format (when using sold separately USB Flash Memory)
  Audio files (WAV format, 44.1 kHz, 16-bit linear)

- Transpose
  Playback Transpose (with Audio from Input jacks): -6 to +6 (in semitones)

- Tempo
  Audio Playback Speed: 75–125 %

- Control
  Song Select, Play/Stop, Rec, Rewinding, Fast-forwarding, Reset, Tempo, All Songs Play, Song Balance, AB Repeat, Center Cancel (with Audio from Input jacks)

[DigiScore]
- Score Display
  Great Staff, G Clef, F Clef

- Mark
Notation Mark, Pitch Name, Lyrics, Chord, Finger Number

- Size
Small (32 measures *), Medium (15 measures *), Large (8 measures *), With note names (2 measures *), * Use default setting.

- Function
Auto Sync, Keyboard indication

[Lesson Application]
- Music Games
Wonderland, Flash Card, Twin Piano Game, Scroll Game

- Music Learning
DoReMi Course, Visual Lesson, Medal Collection, Finger Training

- Music Creation
Rhythm, 16 Part Recorder, Song Edit, Audio Convert

[Rhythm]
- Rhythm
50 rhythms

- Control
Start/Stop, Intro/Ending, Sync Start, Fill-in, Leading Bass, Arranger On/Off, Tempo

[User Program]
- Preset
40 types

- Storage Quantity
Internal memory: Max. 99 sets
External memory: Max. 99 sets

[Internal Memory]
- Save Format
Standard MIDI Files (Format 0)

- Storage Quantity
Max. 100 songs

[External Memory]
- External Storage
USB Flash Memory

- Playable Song Format
Standard MIDI Files (Format 0, 1), Roland original format (i-Format)
Audio Files (WAV format, 44.1 kHz, 16-bit linear)

- Save Format
Standard MIDI Files (Format 0), Audio Files (WAV format, 44.1 kHz, 16-bit linear)

[Other]
- Internal Songs (Total US 436 songs, EU 436 songs, Other area 421 songs)
Piano Masterpieces: 80 songs, Selection: US 40 songs, EU 40 songs, Other area 25 songs
Kids: 20 songs, Bayer: 106 songs, Burgmuller: 25 songs, Czerny 100: 100 songs, Czerny 30: 30 songs, Hanon: 20 songs, Invention: 15 songs

- Other Functions
Panel Lock, V-LINK, MIDI Visual Control, Classic Position, Tone Demo, Score BMP Export, Auto Off, Roland Wireless Connect

- Language
English, French, German, Japanese, Spanish, Italian, Dutch
(French, German, Spanish, Italian and Dutch only apply to some messages in the screen)

- Display
Graphic color LCD 1,280 x 800 dots (with a music rest)

- Connectors
DC In jack, Pedal connector: 8-pin DIN type, Input (L/Mono, R) jacks: RCA phono type, Output (L/Mono, R) jacks: 1/4-inch phone type, USB Computer port: USB Type B, USB Memory port: USB Type A, MIDI (In, Out) connectors, Phones jacks (Stereo, with Twin Piano Individual Mode) x 2: Stereo 1/4-inch phone type

- Rated Power Output
30 W x 2, 5 W x 2

- Volume Level (SPL)
108 dB
* This value was measured according to the method that is based on Roland's technical standard.

- Speakers
Cabinet speakers: 12 cm (4-3/4 inches) x 2
Spatial/Nearfield speakers: 5 cm (2 inches) x 2

- Control
Volume knob

- Power Supply
AC adaptor

- Power Consumption
18 W (17–39 W)
18 W: Average power consumption while piano is played with volume at center position
17 W: Power consumption immediately after power-up; nothing being played
39 W: Rated power consumption

- Dimensions (including piano stand)
1,387 (W) x 430 (D) x 1,097(H) mm
54-5/8 (W) x 16-15/16 (D) x 43-3/16(H) inches

- Weight (including piano stand)
58 kg, 128 lbs

- Accessories
Owner's Manual, AC adaptor, Power cord (for connecting AC adaptor), Headphone hook (*)
Music rest, Music rest attachment screws, Stand assembly leaflet (*), Screw set (for assembling piano stand) (*),
* Supplied with the stand.

- Options (sold separately)
Headphones, USB Flash Memory (*), Wireless USB Adapter (*)

* Use USB Flash Memory and Wireless USB Adapter sold by Roland. We cannot guarantee operation if other products are used.

All specifications and appearances are subject to change.

CD-2u
SD/CD Recorder

Easy Recording and CD Burning On the Go

Leave the computer at home—with the CD-2u SD/CD Recorder, it's easier than ever to capture quality recordings and play and burn CDs anywhere! Record audio instantly with the built-in stereo mic, or connect your own external mics, electronic musical instruments, and other devices with professional results. Onboard are many training tools for lessons and practice, including CD and WAV audio playback, high-fidelity key and speed adjustment, improved Center Cancel, and the all-new Center Focus. Essentials such as a chromatic tuner and metronome are included as well. Ultra-compact and easy to use, the CD-2u is your perfect solution for playing, recording, and CD burning in a convenient mobile package.

- Easy CD/SD recording and CD burning in an all-in-one mobile device
- High-quality stereo microphone and speaker system built in
- Records direct to CD-R/RW discs or SD/SDHC memory card
- Simple interface with Easy Guide function
- Multiple inputs for connecting external devices—two XLR/TRS combo jacks with phantom power; Plug In Power mic jack; stereo RCA LINE IN jacks
- Independent adjustment of playback speed and key, with improved audio quality over previous designs
- Enhanced Center Cancel function; new Center Focus isolates vocals and instruments for learning
- Built-in tuner and metronome
- Runs on included AC adaptor or six AA batteries (AC adaptor required for CD playback/recording)
- Wireless remote control included

Gallery

CD-2u
SD/CD Recorder

✳ All-In-One Convenience

With its compact size and ability to run on battery power, the CD-2u is your go-everywhere companion, giving you everything you need to record, edit, play, and burn in one standalone unit. The built-in stereo mic makes audio capture easy, while high-performance stereo speakers provide convenient sound playback of your recordings as well as commercial CDs, lesson material, and more.

✳ Simple, Intuitive Operation

The CD-2u records to readily available SD/SDHC cards, and can also record directly to CD-R and CD-RW discs when using AC power. Thanks to the Easy Guide feature, the CD-2u is incredibly simple for anyone to operate, with clear onscreen instructions that guide you every step of the way. Easy Guide covers not only recording functions, but also CD backup, creating minus-one tracks for practice and karaoke, setting proper input levels, and other operations. You can even choose among six different languages for the display: English, German, French, Italian, Spanish, or Japanese.

✳ Connect External Mics and Other Devices

While it's designed for pro results as a standalone unit, the CD-2u also provides connections to integrate external devices for various applications. Two XLR/TRS combo jacks allow you to connect your own mics (with phantom power available if needed), including a stereo field-recording mic such as the CS-15RS. There's also a stereo mini-mic jack with Plug In Power, plus stereo RCA LINE IN jacks for connecting an instrument, music player, or other audio sources.

✳ Your Education and Practice Partner

The CD-2u is packed with useful tools not only for developing music skills, but also other applications such as learning languages, transcribing spoken-word audio, and more. You can independently adjust the speed and key with exceptional audio quality, perfect for slowing down passages to learn difficult parts or changing the key of music to match your voice. Use A-B Repeat to play audio sections over and over, and turn on Center Cancel to create minus-one tracks for practice and karaoke fun. There's also the newly developed Center Focus feature, which isolates center-located sounds in music tracks to make them easier to hear and learn.

✳ Carrying Case and More

Once you experience the CD-2u, you'll want to take it with you everywhere. The optional CB-CD2E Carrying Case gives you durable protection, plus handy storage of accessories like CD and SD media, batteries, remote, etc. And if you love all the great features of the CD-2u but don't need CD playback/burning capability, be sure to check out its cousin, the SD-2u SD Recorder.

⚒ CD-2u Specifications

[Recorder Part]
- Tracks
  2 tracks (stereo)

- Sampling Frequency
  44.1 kHz

- Signal Processing
  AD/DA conversion: 24 bits

- Recording Mode
  SD/SDHC Memory Card: WAV (44.1 kHz, 16 bits)
  CD-R, CD-RW: Audio CD

- Recording Media
  SD Memory Card (supports 512 MB – 2 GB)
  SDHC Memory Card (supports 4 GB – 16 GB)
  CD-R
  CD-RW

- Recording Time (unit: min)
  CD-R or CD-RW disc
  650 MB: 74
  700 MB: 80

  SD Memory Card
  512 MB: 47
  1 GB: 94
  2 GB: 189

  SDHC Memory Card
  4 GB: 377
  8 GB: 755
  16 GB: 1511

* Each recording time is approximate. The times may change depending on the card specifications.
* In case that there are plural files, the sum of recording time would be shorter than above.
* Maximum recording time of one song is 74 minutes.

- Recording Songs
  Up to 99 songs on a single SD/SDHC Memory Card, CD-R, or CD-RW

[Input/Output]
- Audio Input
  Internal Stereo Microphones
  EXT MIC (L, R) jacks: XLR type (balanced/phantom power DC 48 V, 8 mA Max.), 1/4-inch TRS phone type (balanced/unbalanced)
  PLUG IN POWER MIC jack: Stereo miniature phone type
  LINE IN (L, R) jacks: RCA phono type

- Audio Output
  Internal Speakers: Stereo
  LINE OUT (L, R) jacks: RCA phono type
  PHONES jack: Stereo miniature phone type

- Frequency Response
  20 Hz – 20 kHz (+0 dB/-2 dB)

- Nominal Input Level (variable)
  EXT MIC (L, R) jacks: -51 to -8 dBu (common to XLR type and 1/4-inch phone type)
  PLUG IN POWER MIC jack: -51 to -13 dBu
  LINE IN (L, R) jacks: -24 to -4 dBu

- Nominal Output Level
  LINE OUT (L, R) jacks: -4 dBu

- Input Impedance
  EXT MIC (L, R) jacks: 8 k ohms (common to XLR type and 1/4-inch phone type)
  PLUG IN POWER MIC jack : 10 k ohms
  LINE IN (L, R) jacks: 28 k ohms

- Output Impedance
  LINE OUT (L, R) jacks: 1 k ohm
  PHONES jack: 32 ohms

[Other]
- Display
  16 characters, 2 lines (backlit LCD)

- Dimensions
  278 (W) x 196 (D) x 55 (H) mm
  11 (W) x 7-3/4 (D) x 2-3/16 (H) inches

- Weight (excluding batteries and AC adaptor)
  1.4 kg
  3 lbs 2 oz

- Power Supply
  AC adaptor
  Alkaline battery (AA, LR6) x 6
  Rechargeable Ni-MH battery (HR6) x 6

- Current Draw
  1000 mA

- Expected battery life under continuous use
  Alkaline battery (AA, LR6): Approx. 5.5 hours
  Rechargeable Ni-MH battery (AA, HR6): Approx. 6 hours
  * The time may vary according to usage conditions, batteries used, and type of SD memory card used.

- Accessories
  Owner's Manual
  Quick Start
  Remote controller (with battery CR2025)
  AC adaptor
  Power cord
  SD memory card
  SD card protector
  CD-R Disc (Blank media)

- Options (sold separately)
  Carrying Case: CB-CD2E
  Stereo Microphone: CS-15RS
  Stand: SS-PC1

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

SD-2u
SD Recorder

Your Go-Everywhere Companion for Recording, Music Practice, and Education

With high-quality SD recording and a host of great features for music practice and study, the SD-2u Recorder is a powerful tool for educators, students, and hobbyists. A built-in stereo mic lets you capture audio anywhere, while versatile audio input options allow you to connect your own external mics, electronic musical instruments, and other devices with pro-level results. Also onboard are many training essentials, including high-fidelity key and speed adjustment, improved Center Cancel for creating minus-one tracks, and the all-new Center Focus for isolating vocals and instruments. Compact and ready to travel, the SD-2u is the ideal all-in-one solution for audio recording, learning music and languages, and much more.

- Easy SD recording and playback in a convenient, all-in-one mobile device

- High-quality stereo microphones and speaker system built in

- Simple interface with Easy Guide function

- Multiple inputs for connecting external devices—two XLR/TRS combo jacks with phantom power; Plug In Power mic jack; stereo RCA LINE IN jacks

- Independent adjustment of playback speed and key, with improved audio quality over previous designs

- Enhanced Center Cancel function; new Center Focus isolates vocals and instruments for learning

- Built-in tuner and metronome

- Runs on six AA batteries or AC adaptor; wireless remote control included

Gallery

All-In-One Convenience

With its portable size and ability to run on battery power, the SD-2u is ready to travel anywhere, giving you high-quality recording and editing in one standalone unit. The built-in stereo mic makes audio capture easy, while high-performance stereo speakers provide convenient sound playback of your recordings, WAV music files, lesson material, and more.

Quality Recording, Intuitive Operation

The SD-2u records CD-quality audio direct to widely available SD/SDHC memory cards. It's also super-simple for anyone to operate thanks to the Easy Guide feature, which provides clear onscreen instructions that guide you through various operations. Easy Guide covers recording and overdubbing functions, creating minus-one tracks for practice and karaoke, setting proper input levels, and more. You can even choose among six different languages for the display: English, German, French, Italian, Spanish, or Japanese.

Gallery

Connect External Mics and Other Devices

While it's designed for pro results as a standalone unit, the SD-2u also provides connections for integrating external devices to suit various applications. Two XLR/TRS combo jacks allow you to connect your own mics (with phantom power available if needed), including a stereo field-recording mic such as the CS-15RS. There's also a stereo mini-mic jack with Plug In Power, plus stereo RCA LINE IN jacks for connecting an instrument, music player, or another audio source.

Essential Training Tools

The SD-2u is equipped with powerful features for manipulating audio playback, providing useful tools for building music skills, learning languages, transcribing spoken-word audio, and more. You can independently adjust the speed and key with exceptional audio quality, perfect for slowing down passages to learn difficult parts or changing the key of music to suit your voice. Use A-B Repeat to play audio sections over and over, and turn on Center Cancel to create minus-one tracks for practice and karaoke fun. There's also a newly developed Center Focus feature, which isolates center-located sounds in music tracks to make them easier to hear and learn.

Carrying Case and More

The optional CB-CD2E Carrying Case gives you durable protection while transporting the SD-2u, plus handy storage pockets for accessories like batteries, extra SD cards, the AC adaptor, and the remote control. If you're looking for similar features in a device that can also play and burn CDs, check out the SD-2u's cousin, the CD-2u SD/CD Recorder.

❊ SD-2u Specifications

[Recorder Part]
- Tracks
    2 tracks (stereo)

- Sampling Frequency
    44.1 kHz

- Signal Processing
    AD/DA conversion: 24 bits

- Recording Mode
    SD/SDHC Memory Card: WAV (44.1 kHz, 16 bits)

- Recording Media
    SD Memory Card (supports 512 MB – 2 GB)
    SDHC Memory Card (supports 4 GB – 16 GB)

- Recording Time (unit: min)
    SD Memory Card
    512 MB: 47
    1 GB: 94
    2 GB: 189

    SDHC Memory Card
    4 GB: 377
    8 GB: 755
    16 GB: 1511

* Each recording time is approximate. The times may change depending on the card specifications.
* In case that there are plural files, the sum of recording time would be shorter than above.
* Maximum recording time of one song is 74 minutes.

- Recording Songs
    Up to 99 songs on a single SD/SDHC Memory Card

[Input/Output]
- Audio Input
    Internal Stereo Microphones
    EXT MIC (L, R) jacks: XLR type (balanced/phantom power DC 48 V, 8 mA Max.), 1/4-inch TRS phone type (balanced/unbalanced)
    PLUG IN POWER MIC jack: Stereo miniature phone type
    LINE IN (L, R) jacks: RCA phono type

- Audio Output
    Internal Speakers: Stereo
    LINE OUT (L, R) jacks: RCA phono type
    PHONES jack: Stereo miniature phone type

- Frequency Response
    20 Hz – 20 kHz (+0 dB/-2 dB)

- Nominal Input Level (variable)
    EXT MIC (L, R) jacks: -51 to -8 dBu (common to XLR type and 1/4-inch phone type)
    PLUG IN POWER MIC jack: -51 to -13 dBu
    LINE IN (L, R) jacks: -24 to -4 dBu

- Nominal Output Level
    LINE OUT (L, R) jacks: -4 dBu

- Input Impedance
    EXT MIC (L, R) jacks: 8 k ohms (common to XLR type and 1/4-inch phone type)
    PLUG IN POWER MIC jack : 10 k ohms
    LINE IN (L, R) jacks: 28 k ohms

- Output Impedance
    LINE OUT (L, R) jacks: 1 k ohm
    PHONES jack: 32 ohms

[Other]
- Display
    16 characters, 2 lines (backlit LCD)

- Dimensions
    278 (W) x 196 (D) x 55 (H) mm
    11 (W) x 7-3/4 (D) x 2-3/16 (H) inches

- Weight (excluding batteries and AC adaptor)
    1.1 kg
    2 lbs 7 oz

- Power Supply
    AC adaptor
    Alkaline battery (AA, LR6) x 6
    Rechargeable Ni-MH battery (HR6) x 6

- Current Draw
    700 mA

- Expected battery life under continuous use
    Alkaline battery (AA, LR6): Approx. 5.5 hours
    Rechargeable Ni-MH battery (AA, HR6): Approx. 6 hours

* The time may vary according to usage conditions, batteries used, and type of SD memory card used.

- Accessories
    Owner's Manual
    Quick Start
    Remote controller (with battery CR2025)
    AC adaptor
    Power cord
    SD memory card
    SD card protector

- Options (sold separately)
    Carrying Case: CB-CD2E
    Stereo Microphone: CS-15RS
    Stand: SS-PC1

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

CUBE Lite
Guitar Amplifier

COSM 2.1 *i*-CUBE LINK

Stylish Guitar Amp with Built-In iOS Interface

Combining great COSM guitar tones, iOS interfacing, and a quality 2.1 Channel audio system, the CUBE Lite Guitar Amplifier lets you play and record at home along with your iPhone, iPad, or iPod touch. Connect your iOS device to the i-CUBE LINK jack and launch the free CUBE JAM app, then riff along with backing tracks and record your playing to share your music and archive song ideas. With stereo speakers and an integrated subwoofer, you'll enjoy rich, satisfying sound reproduction for both guitar playing and casual music listening. And with an attractive look that blends with any home décor, the CUBE Lite Guitar Amplifier can occupy a permanent spot in your living space, always at the ready when you want to plug in and jam.

- Compact guitar amp with a stylish look for home living spaces
- JC CLEAN, CRUNCH, and EXTREME COSM tones, plus stereo chorus and reverb effects
- Great-sounding 2.1 Channel audio system, with stereo speakers and integrated subwoofer
- i-CUBE LINK jack provides simple audio interfacing with Apple's iPhone, iPad, and iPod touch
- Free CUBE JAM app for iOS plays songs and minus-one jam tracks, and lets you record the CUBE Lite's COSM amp tones along with music playback
- Includes cable for two-way communication (playback and recording) with iOS devices
- Available in three colors: black, white, or red

CUBE Lite (Red)

CUBE Lite (Black)

CUBE Lite (White)

CUBE Lite
Guitar Amplifier

Killer Guitar Tones

The CUBE Lite Guitar Amplifier provides three great COSM tones—JC CLEAN, CRUNCH, and EXTREME—giving you a wide range of sounds for playing any style of music. Reverb and chorus effects are onboard as well, with true stereo performance for a wide, expansive sound.

2.1 Channel Audio System for Impressive Sound

Equipped with stereo speakers and an integrated subwoofer, the CUBE Lite's powerful 2.1 Channel audio system delivers a rich, full sound that belies the amp's compact footprint. When you want to practice silently, just plug in a set of headphones to mute the onboard speakers.

Easy iOS Device Integration with i-CUBE LINK

With the newly developed i-CUBE LINK interface, the CUBE Lite Guitar Amplifier lets you integrate your iPhone, iPad, or iPod touch with your axe in a familiar and satisfying way—through a real amp with great tone. Other interfaces require bulky, specialized add-ons to plug your guitar direct into the iOS device, resulting in a clumsy, inconvenient playing experience. With i-CUBE LINK, you just connect to your device's audio jack with the included cable, then blend the COSM tones and iOS audio together at the amp with simple, intuitive controls. The versatile i-CUBE LINK jack can also be used as a simple stereo input, enabling you to hook up nearly any music player or audio device and play it through the CUBE Lite.

CUBE JAM App

The free Roland CUBE JAM app turns your iOS device into a fun command center for jamming, recording, and learning. Play back commercial songs and minus-one tracks through the CUBE Lite via i-CUBE LINK, and riff along for hours with awesome COSM tones. CUBE JAM also records audio through the i-CUBE LINK connection, allowing you to easily capture your jams. After you're done recording, you can adjust the volume of your guitar and backing music independently, then export your mix to a 16-bit, 44.1 kHz WAV file. The app also includes great tools for music practice, including independent speed and pitch adjustment of audio playback, Center Cancel to remove solos and create your own jam tracks, and more.

CUBE JAM
App for iPhone

CUBE Lite
Guitar Amplifier

✺ Direct Mode

Normally, recording from the CUBE Lite Guitar Amplifier into CUBE JAM or another app captures the sound as you hear it, with the COSM tone applied. Activating the CUBE Lite's Direct Mode feature lets you capture dry guitar sounds while monitoring with the COSM sound. Recording dry tracks in this way gives you the option to experiment later by "re-amping" with any guitar app of your choice. Direct Mode also allows you to use real-time guitar processing in any app, monitoring the live output with the CUBE Lite.

✺ Stylish Design for Modern Living Spaces

Offering an appearance more like a consumer audio system than a typical rugged-look guitar amp, the CUBE Lite blends in seamlessly with any home living space. In addition to being a great guitar amp, it also doubles as a high-quality playback system for your digital music library. With three different finishes to choose from (black, white, or red), you're sure to find the perfect match for your home furnishings.

CUBE Lite Specifications

- Rated Power Output
10 W (Stereo speakers 3 W x 2 + Subwoofer 4 W)

- Nominal Input Level (1 kHz)
INPUT: -10 dBu
i-CUBE LINK/STEREO AUX IN: -10 dBu

- Speakers
7.5 cm (3 inches) x 3

- Amp Types
JC CLEAN
CRUNCH
EXTREME

- Controls
POWER switch
Amp Type switch
DRIVE knob
VOLUME knob
BASS knob
TREBLE knob
CHORUS/REVERB knob

- Control (i-CUBE LINK/STEREO AUX IN)
VOLUME knob

- Indicator
Amp Type

- Connectors
INPUT jack: 1/4-inch phone type
i-CUBE LINK/STEREO AUX IN jack: 4-pole miniature phone type
PHONES jack: Stereo miniature phone type
DC IN jack

- Power Supply
AC adaptor (DC 5.7 V)

- Current Draw
1000 mA

- Dimensions
250 (W) x 147 (D) x 135 (H) mm
9-7/8 (W) x 5-13/16 (D) x 5-3/8 (H) inches

- Weight (excluding AC adaptor)
1.7 kg
3 lbs 12 oz

- Accessories
Owner's Manual
AC adaptor
Mini cable (4 poles)

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

*Apple, the Apple logo, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Sing, Play, and Practice with Your Favorite iOS Devices

Featuring mic and instrument inputs, iOS interfacing, and a quality 2.1 Channel audio system, the CUBE Lite MONITOR is perfect for enjoying music at home with your iPhone, iPad, or iPod touch. Connect your iOS device to the i-CUBE LINK jack, and then launch the free CUBE JAM app to play, record, and take advantage of great practice tools like speed/pitch adjustment, Center Cancel for minus-one tracks, and more. Stereo speakers and an integrated subwoofer provide rich sound that fills the room, while onboard effects offer pleasing ambience for singing and playing instruments. Attractive and versatile, the CUBE Lite MONITOR is ideal for music practice, entertainment, and karaoke fun.

- Tabletop monitor amplifier with a stylish look for home living spaces
- Great-sounding 2.1 Channel audio system, with stereo speakers and integrated subwoofer
- Stereo 1/4-inch phone jacks for connecting microphone and musical instruments; stereo reverb and echo effects
- i-CUBE LINK jack provides simple audio interfacing with Apple's iPhone, iPad, and iPod touch
- Free CUBE JAM app for iOS plays songs and minus-one tracks, and offers many features for music practice and learning
- Includes cable for two-way communication (playback and recording) with iOS devices
- Ideal for home use, offices, classrooms, recreation centers, and more
- Attractive white finish

Gallery

CUBE Lite MONITOR
Monitor Amplifier

Sing and Play with High-Quality Sound

The CUBE Lite MONITOR is equipped with two ¼-inch inputs for plugging in a mic and mono instrument or one stereo instrument. Easy-to-use reverb and echo effects provide a satisfying ambience for singing and playing. The powerful 2.1 Channel sound system features stereo speakers and an integrated subwoofer, delivering amazingly rich and full sound for a compact monitor. For silent practice, you can plug in headphones to mute the onboard speakers.

Easy iOS Device Integration with i-CUBE LINK

i-CUBE LINK lets you easily integrate your iPhone, iPad, or iPod touch with the CUBE Lite MONITOR for music practice, song playback, and recording. With a single-cable connection, the CUBE Lite becomes an audio interface for your iOS device, allowing you to play and/or record music with any audio app. Simply use the included cable to connect the iOS device to the i-CUBE LINK jack, and then use the CUBE Lite MONITOR to blend your mic/instrument with the iOS audio. The versatile i-CUBE LINK jack can also be used as a simple stereo input, enabling you to hook up nearly any music player or audio device and play it through the CUBE Lite.

CUBE JAM App

The free Roland CUBE JAM app turns your iOS device into a powerful tool for audio recording and music practice. Via i-CUBE Link, you can play and sing along with music from CUBE JAM through the CUBE Lite MONITOR, then capture your performance into the app. After you're done, you can adjust the volume of your performance and backing music independently in CUBE JAM, then export your mix as a 16-bit, 44.1 kHz WAV file to share with friends and family. Also on tap are a number of cool features for music practice and learning songs, including tempo change, pitch adjustment to change the song key to suit your voice, and Center Cancel to create minus-one tracks for karaoke-style singing.

CUBE JAM
App for iPhone

Available on the
App Store

CUBE Lite MONITOR
Monitor Amplifier

Direct Mode

Normally, recording from the CUBE Lite MONITOR into CUBE JAM or another app captures the sound as you hear it, with the onboard reverb/echo effect applied. Activating the CUBE Lite's Direct Mode feature lets you capture dry sounds while monitoring with the effect sound. Recording dry tracks in this way gives you the option to experiment with other processing later, using the audio app of your choice. Direct Mode also allows you to use real-time processing in any app, monitoring the live output with the CUBE Lite MONITOR.

Stylish Design for Modern Living Spaces

With its compact, tabletop design and attractive white finish, the CUBE Lite MONITOR blends in nicely with any living space in your home. In addition to being a great amp for mics and instruments, it also doubles as a high-quality home playback system for your digital music library. Use it in your living room for home entertainment and karaoke parties, your bedroom for music practice, or in your office as a high-quality sound system for your PC.

⁙ CUBE Lite MONITOR Specifications

- Rated Power Output
   10 W (Stereo speakers 3 W x 2 + Subwoofer 4 W)

- Nominal Input Level (1 kHz)
   <STEREO MODE>
   L (MONO), R: -20 dBu

   <MIC MODE>
   MIC: -40 dBu
   LINE: -20 dBu
   i-CUBE LINK/STEREO AUX IN: -10 dBu

- Speakers
   7.5 cm (3 inches) x 3

- Controls
   POWER switch
   Mode switch (STEREO/MIC)
   VOLUME knob
   LOW knob
   MIDDLE knob
   HIGH knob
   REVERB/ECHO knob

- Control (i-CUBE LINK/STEREO AUX IN)
   VOLUME knob

- Indicator
   Mode

- Connectors
   L (MONO)/MIC jack: 1/4-inch phone type
   R/LINE jack: 1/4-inch phone type
   i-CUBE LINK/STEREO AUX IN jack: 4-pole miniature phone type
   PHONES jack: Stereo miniature phone type
   DC IN jack

- Power Supply
   AC adaptor (DC 5.7 V)

- Current Draw
   1000 mA

- Dimensions
   250 (W) x 147 (D) x 135 (H) mm
   9-7/8 (W) x 5-13/16 (D) x 5-3/8 (H) inches

- Weight (excluding AC adaptor)
   1.7 kg
   3 lbs 12 oz

- Accessories
   Owner's Manual
   AC adaptor
   Mini cable (4 poles)

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

*Apple, the Apple logo, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

V-Guitar Versatility in an American-Made Strat

The G-5A VG Stratocaster® brings you the power and versatility of Roland's V-Guitar technology in a top-level, limited-edition instrument made in the U.S.A. Built in the Fender® factory in Corona, California, the G-5A is a 100-percent authentic American Standard Stratocaster® guitar, complete with a gorgeous Candy Apple Red finish and 22-fret maple neck with rosewood fingerboard. Enhancing the classic Strat sound and functionality are onboard Roland COSM electronics that provide a universe of modeled electric and acoustic guitar sounds. The amazing G-5A gives you the ability to completely change your tone at a moment's notice, with fingertip access to a library of coveted vintage instruments, plus a selection of COSM-powered "ideal performance" pickups that deliver a unique, modern edge. To top it off, alternate tunings and 12-string sounds are instantly available for any COSM guitar tone, all with a simple twist of a knob!

- Authentic American Standard Stratocaster infused with COSM technology
- Modeled instruments onboard, plus unique pickup tones such as the extended-range "Bright Humbucker" and full, bold "Wide Range" single coil
- Instantly accessible alternate tunings and 12-string sounds for all COSM guitar tones
- Simple operation based on the Stratocaster design concept
- Classic Candy Apple Red finish
- 22-fret maple neck with rosewood fingerboard
- Seven simultaneous effects with dedicated real-time controls

The G-5A VG Stratocaster is a limited-edition model available at authorized V-Guitar Station dealers

Gallery

The World's Most Versatile Guitar

Powered by Roland's amazing COSM technology, the VG Stratocaster guitar gives you an entire collection of world-class tones to pick and choose from, all in the same instrument. At your fingertips are 25 pickup and instrument tones, plus alternate tunings and 12-string sounds. Take a single guitar to the gig and change tones effortlessly, instead of having to switch out instruments every time you need a different sound or tuning.

Change Your Sound in an Instant

Using the VG Stratocaster's five-way pickup selector and Mode knob, you can access a wide range of modeled tones, including vintage Strat, Telecaster®, fat humbuckers, and even an archtop jazz box. Also onboard are unique, modern pickup sounds realized with COSM, including "Wide Range" single-coil variations and two "Bright Humbucker" options. Steel- and nylon-string acoustic tones are available as well, plus a neat, retro electric sitar sound. Of course, you can always dial up the built-in single-coil pickups and use the VG Stratocaster as a conventional guitar, bypassing the COSM section entirely.

Alternate Tunings and 12-String Sounds

Along with the great COSM instruments, the VG Stratocaster gives you the ability to change your tuning without touching the tuning keys! With any COSM tone, a quick twist of the Tuning knob lets you dial up Drop D, DADGAD, Baritone, or Open G tunings. Also available via the Tuning knob are 12-string tones, which can be applied to any COSM guitar sound.

OFFICIALLY LICENSED

Accessory: Hard shell case

▓ G-5A Specifications

- Guitar specifications

    Color variation type : G-5A-CAR
    Body Color: Candy Apple Red
    Neck: Rosewood (Fingerboard) on Maple
    Bridge: 2-Point Synchronized Tremolo with Vintage Style Bent Steel Saddles

    Common specifications
    Body: Alder

    Neck
    Fingerboard Radius: 9.5" (24.1 cm)
    Backshape: Modern "C" shape
    Scale Length: 25.5" (64.8 cm)
    Number of Frets: 22
    Fret Size: Medium Jumbo

    Pickups: Single Coil type x 3, Divided type x 1

    Controls:
    MODE knob (5types)
    N: Normal (non-modeling mode)
    S: Modeled Stratocaster
    T: Modeled Telecaster
    H: Modeled Humbucking Pickups
    A: Modeled Acoustic guitar

    TUNING knob (6types)
    N: Normal tuning
    D: Drop D
    G: Open G
    d: D Modal
    B: Baritone
    12: 12 String guitar

    TONE Control knob
    VOLUME knob
    5-Way switch

    Indicator: Power indicator

- Weight

    3.8 kg
    8 lbs 7 oz

- Nominal Output Level

    20 dBu

- Output Impedance

    2 k ohms

- Recommended Load Impedance

    20 k ohms or greater

- Connector

    Guitar jack (1/4" phone type)

- Power Supply

    Alkaline battery (AA, LR6) x 4
    Rechargeable Ni-MH battery (AA, HR6) x 4

- Current Draw

    230 mA

- Expected battery life under continuous use (These figures will vary depending on the actual conditions of use.)

    Alkaline battery: 6 hours
    Rechargeable Ni-MH battery: 9 hours

- Accessories

    G-5A VG Stratocaster® Owner's Manual
    OWNER'S MANUAL FOR FENDER® GUITARS
    Tremolo arm
    Hexagonal wrench
    Alkaline battery (AA, LR6) x 4
    Hard shell case
    Strap
    Cable
    Polishing cloth

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

GK Power in a Twin Pedal Stompbox

With the all-new V-Guitar pedals, guitarists can now enjoy the immense benefits of Roland's GK processing—the powerful technology behind the GR-55 Guitar Synthesizer and VG-99 V-Guitar System—right on their pedalboards. The GR-D V-Guitar Distortion offers unique distortion and synth tones produced by independently processing each guitar string, giving the modern player an array of fresh, bold sounds for their sonic arsenal. Housed in the popular Twin Pedal format and equipped with connections for easy integration with amps, stomps, multi-effects, and other V-Guitar devices, the GR-D delivers wide, heavy, high-clarity tones that can only be achieved with GK processing.

- Roland's powerful V-Guitar technology in a Twin Pedal stompbox
- Bold, high-clarity distortion and synth tones only possible with GK processing
- VG-DIST 1, VG-DIST 2, POLY DIST, and SYNTH sounds, with real-time DSP for latency-free performance
- Sculpt your tones with ultra-responsive GAIN, COLOR, and TONE knobs
- Solo function provides an instant volume and presence boost for lead playing
- 13-pin GK input; designed for use with the GC-1 GK-Ready Stratocaster, GK-3 Divided Pickup, and all GK-equipped guitars
- Flexible connections for easy integration with amps, pedals, and multi-effects
- Four user memories, with remote selection from GK-equipped guitar

Gallery

GR-D
V-Guitar Distortion

⊞ Welcome to the Family

The GR-D V-Guitar Distortion joins Roland's acclaimed V-Guitar family, which also includes the GR-55 Guitar Synthesizer and VG-99 V-Guitar System. The convenient stompbox format of the GR-D allows players with traditional setups to experience the incredible sound potential available with GK processing. When used with an optional US-20 Unit Selector, the GR-D also gives current GR and VG users new sounds for their existing rig.

⊞ Unlock All-New Sounds with GK Processing

The GR-D features a 13-pin input for use with a guitar outfitted with a Roland GK-3 Divided Pickup or a GK-equipped instrument such as the GC-1 GK-Ready Stratocaster®. Unlike standard monophonic guitar pickups, the Roland GK pickup senses and isolates each individual string, sending them as six discrete signals to a 13-pin jack. When connected to a V-Guitar device like the GR-D pedal, each string can be processed individually, opening up a universe of sound possibilities that are impossible with a normal 1/4-inch guitar output.

⊞ Bold Distortion Tones for Modern Players

Inside the GR-D is a huge array of unique distortion colors made possible with GK processing. By applying separate distortion processing to each string, the atonal harmonic artifacts of mono distortion are completely eliminated. This results in incredible string definition and clarity, even with full, complex chords and extremely high levels of gain. In addition, picking dynamics are greatly enhanced, and wide stereo effects can be achieved. VG-DIST 1 and VG-DIST 2 offer two very different distortion flavors newly developed for the GR-D, while POLY DIST is a new variant on the classic "polyphonic distortion" in early Roland guitar synths, enhanced with the power of modern digital technology. SYNTH is an analog synth-type sound based on string vibration instead of an oscillator, providing an ultra-responsive playing feel with true guitar expressiveness.

Tweak and Store Your Custom Sounds

Like a normal stompbox, the GR-D features simple controls that are quick and intuitive to use, but behind their simplicity is an enormous range of sound-shaping potential. When you turn the GAIN, COLOR, and TONE knobs, you're actually tweaking multiple under-the-hood parameters specifically tailored to each sound type, letting you achieve substantial tonal shifts even with small changes. Four memory locations let you store your favorite sounds, with quick recall via the control switches on your GK-equipped guitar. A Solo function, accessible with one of the pedal's two footswitches, gives you an instant boost of volume and presence for lead playing.

Easy Integration with Any Rig

The GR-D offers a multitude of connections for integrating with different rigs, including pedalboards, multi-effects setups, racks, mixers, and other V-Guitar devices. A dual MIX/GUITAR INPUT allows you to connect devices and blend them with the GR-D sound, with the combined mix sent to the pedal's mono/stereo output. The 13-pin GK output carries the guitar's normal pickup signal as well, and controls on the GK-equipped guitar allow you to blend the GK and normal sounds right from your instrument. A dedicated GUITAR OUTPUT jack on the GR-D lets you connect the normal guitar sound directly to an amp or effects with no GK processing applied. It can also be used in conjunction with the MIX/GUITAR INPUT to create a send/return loop for your normal effects chain.

GK-Ready Guitars and Options

With its built-in GK pickup and 13-pin output, Roland's popular GC-1 GK-Ready Stratocaster is a perfect fit for the GR-D, and there are GK-equipped guitars available from many other manufacturers as well. Roland also offers the GK-3 Divided Pickup, allowing you to easily add GK compatibility to your favorite guitar with no modification.

GR-D
V-Guitar Distortion

▓ GR-D Specifications

- Nominal Input Level
MIX INPUT: -10 dBu
GUITAR INPUT: -20 dBu

- Input Impedance
MIX INPUT: 1 M ohm
GUITAR INPUT: 1 M ohm

- Nominal Output Level
OUTPUT: -20 dBu
GUITAR OUTPUT: -20 dBu

- Output Impedance
OUTPUT: 2 k ohms
GUITAR OUTPUT: 2 k ohms

- Recommended Load Impedance
10 k ohms or greater

- Controls
ON/OFF pedal
SOLO pedal
TYPE knob
GAIN knob
COLOR knob
TONE knob
LEVEL knob
SELECT button
WRITE button
OUTPUT SELECT switch

- Indicators
POWER indicator (serves also as battery check indicator)
ON/OFF indicator
SOLO indicator

- Connectors
MIX/GUITAR INPUT (R, L/MONO) jacks
GK IN connector
GUITAR OUTPUT jack
OUTPUT (R, L/MONO) jacks
DC IN jack

- Memory
4

-Type
VG-DIST 1, VG-DIST 2, POLY DIST, SYNTH

- Power Supply
Alkaline Battery (AA, LR6) or Carbon-zinc Battery (AA, R6) x 6,
AC Adaptor (PSA-series: optional)

- Current Draw
200 mA (9 V, when used with GK-3)

- Expected battery life under continuous use
Alkaline battery: Approx. 7 hours
Carbon-zinc battery: Approx. 2 hours
These figures will vary depending on the actual conditions of use.

- Dimensions
173 (W) x 158 (D) x 57 (H) mm
6-13/16 (W) x 6-1/4 (D) x 2-1/4 (H) inches

- Weight
1.1 kg
2 lbs 7 oz (including batteries)

- Accessories
Owner's Manual
Leaflet (USING THE UNIT SAFELY, IMPORTANT NOTES, and Information)
Alkaline Battery (AA, LR6) x 6

- Options (sold separately)
AC Adaptor: BOSS PSA-series
Divided Pickup: GK-3 (for guitar)
V-Guitar: GC-1 GK-Ready Stratocaster®
GK Cable: GKC-10 (10 m), GKC-5 (5 m)
Unit Selector: US-20

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

GK Power in a Twin Pedal Stompbox

With the all-new V-Guitar pedals, guitarists can now enjoy the immense benefits of Roland's GK processing—the powerful technology behind the GR-55 Guitar Synthesizer and VG-99 V-Guitar System—right on their pedalboards. The GR-S V-Guitar Space features independent processing for each guitar string, giving you four amazing tones that transport your axe to a new dimension of sound, including Crystal, Rich Modulation, Slow Pad, and the multi-string emulation of Brilliant Clean. Housed in the popular Twin Pedal format and equipped with connections for easy integration with amps, stomps, multi-effects, and other V-Guitar devices, the GR-S delivers out-of-this-world sounds that can only be achieved with GK processing.

- Roland's powerful V-Guitar technology in a Twin Pedal stompbox
- Super-spacious tones and multi-string emulation only possible with GK processing
- Crystal, Rich Modulation, Slow Pad, and Brilliant Clean sounds, with real-time DSP for latency-free performance
- Ultra-responsive COLOR and TONE knobs for sound shaping
- Expressive Freeze function holds the current sound for lead backing and sound FX
- 13-pin GK input; designed for use with the GC-1 GK-Ready Stratocaster, GK-3 Divided Pickup, and all GK-equipped guitars
- Flexible connections for easy integration with amps, pedals, and multi-effects
- Four user memories, with remote selection from GK-equipped guitar

Gallery

GR-S
V-Guitar Space

❊ Welcome to the Family

The GR-S V-Guitar Space joins Roland's acclaimed V-Guitar family, which also includes the GR-55 Guitar Synthesizer and VG-99 V-Guitar System. The convenient stompbox format of the GR-S allows players with traditional setups to experience the incredible sound potential available with GK processing. When used with an optional US-20 Unit Selector, the GR-S also gives current GR and VG users new sounds for their existing rig.

❊ Unlock All-New Sounds with GK Processing

The GR-S features a 13-pin input for use with a guitar outfitted with a Roland GK-3 Divided Pickup or a GK-equipped instrument such as the GC-1 GK-Ready Stratocaster®. Unlike standard monophonic guitar pickups, the Roland GK pickup senses and isolates each individual string, sending them as six discrete signals to a 13-pin jack. When connected to a GK device like the GR-S pedal, each string can be processed individually, opening up a universe of sound possibilities that are impossible with a normal 1/4-inch guitar output.

❊ Amazing Tones to Expand Your Sound Palette

With the GR-S, you have four incredible tones that launch your guitar into an entirely new sound space. Crystal delivers shimmering, transparent sounds and icy bell textures, while Rich Modulation provides an incredibly spacious multi-channel chorus sound powered by independent GK string processing. Slow Pad offers a warm synth-pad sound with variable attack for dreamy full-chord swells that are impossible with a mono input. And with Brilliant Clean, you can add virtual strings to your axe, adjustable from 12 to 18 strings with the COLOR knob!

Tweak, Store, and Freeze Your Sounds

Like a normal stompbox, the GR-S features simple controls that are quick and intuitive to use, but behind their simplicity is an enormous range of sound-shaping potential. When you turn the COLOR and TONE knobs, you're actually tweaking multiple under-the-hood parameters specifically tailored to each sound type, so you can achieve substantial tonal shifts even with small changes. Four memory locations let you store your favorite sounds, with quick recall via the control switches on your GK-equipped guitar. A Freeze function, accessible with one of the pedal's two footswitches, lets you hold sounds indefinitely for lead backing and expressive effects.

Easy Integration with Any Rig

The GR-S offers a multitude of connections for integrating with different rigs, including pedalboards, multi-effects setups, racks, mixers, and other V-Guitar devices. A dual MIX/GUITAR INPUT allows you to connect devices and blend them with the GR-S sound, with the combined mix sent to the pedal's mono/stereo output. The 13-pin GK output carries the guitar's normal pickup signal as well, and controls on the GK-equipped guitar allow you to blend the GK and normal sounds right from your instrument. A dedicated GUITAR OUTPUT jack on the GR-S lets you connect the normal guitar sound directly to an amp or effects with no GK processing applied. It can also be used in conjunction with the MIX/GUITAR INPUT to create a send/return loop for your normal effects chain.

GK-Ready Guitars and Options

With its built-in GK pickup and 13-pin output, Roland's popular GC-1 GK-Ready Stratocaster is a perfect fit for the GR-S, and there are GK-equipped guitars available from many other manufacturers as well. Roland also offers the GK-3 Divided Pickup, allowing you to easily add GK compatibility to your favorite guitar with no modification.

GR-S
V-Guitar Space

▓ GR-S Specifications

- Nominal Input Level
MIX INPUT: -10 dBu
GUITAR INPUT: -20 dBu

- Input Impedance
MIX INPUT: 1 M ohm
GUITAR INPUT: 1 M ohm

- Nominal Output Level
OUTPUT: -20 dBu
GUITAR OUTPUT: -20 dBu

- Output Impedance
OUTPUT: 2 k ohms
GUITAR OUTPUT: 2 k ohms

- Recommended Load Impedance
10 k ohms or greater

- Controls
ON/OFF pedal
FREEZE pedal
TYPE buttons
COLOR knob
TONE knob
LEVEL knob
SELECT button
WRITE button
OUTPUT SELECT switch

- Indicators
POWER indicator (serves also as battery check indicator)
ON/OFF indicator
FREEZE indicator

- Connectors
MIX/GUITAR INPUT (R, L/MONO) jacks
GK IN connector
GUITAR OUTPUT jack
OUTPUT (R, L/MONO) jacks
DC IN jack

- Memory
4

- Type
CRYSTAL, RICH MODULATION, SLOW PAD, BRILLIANT CLEAN

- Power Supply
Alkaline Battery (AA, LR6) or Carbon-zinc Battery (AA, R6) x 6,
AC Adaptor (PSA-series: optional)

- Current Draw
200 mA (9 V, when used with GK-3)

- Expected battery life under continuous use
Alkaline Battery: Approx. 7 hours
Carbon-zinc Battery: Approx. 2 hours
These figures will vary depending on the actual conditions of use.

- Dimensions
173 (W) x 158 (D) x 57 (H) mm
6-13/16 (W) x 6-1/4 (D) x 2-1/4 (H) inches

- Weight
1.2 kg
2 lbs 11 oz (including batteries)

- Accessories
Owner's Manual
Leaflet (USING THE UNIT SAFELY, IMPORTANT NOTES, and Information)
Alkaline Battery (AA, LR6) x 6

- Options (sold separately)
AC Adaptor: BOSS PSA-series
Divided Pickup: GK-3 (for guitar)
V-Guitar: GC-1 GK-Ready Stratocaster®
GK Cable: GKC-10 (10 m), GKC-5 (5 m)
Unit Selector: US-20

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

Make Your Playing Soar with Majestic Ambience

Powered by Multi-Dimensional Processing technology (MDP), the TE-2 Tera Echo produces a dynamic new stereo ambience effect that goes far beyond traditional delay and reverb.

- Next-generation BOSS compact pedal with innovative Multi-Dimensional Processing, realized with proprietary technology and custom DSP

- Rich, spacious echo and ambience effects

- Dramatically enhances the direct tone, but never overwhelms it

- Freeze function holds the ambient sound for lead backing and sound effects

- Ultra-responsive to volume changes and playing dynamics

- Wide range of sound adjustment with simple controls

- Mono/stereo input and output

Multi-Dimensional Processing for Superior Tone

Roland's innovative Multi-Dimensional Processing (MDP) analyzes audio signals in many dimensions and applies ideal effects to each. By giving different dynamic changes relative to the input signal in real time, MDP can create bold, all-new sounds with a previously unattainable range of expression.

TE-2: Inspirational Echo

Thanks to MDP, the TE-2 delivers an amazing new ambience effect that satisfies and inspires. Complex internal processing produces an incredibly deep and spacious sound, dramatically enhancing the straight guitar tone without overwhelming it. Through the TE-2's simple, familiar stompbox controls and incredible sensitivity to your playing dynamics, an extremely wide range of sounds can be achieved. And with the expressive Freeze function, you can hold the current effect sound to create rich soundscapes for lead playing and sonic exploration.

Gallery

✖ The 100th BOSS Compact Series Model!

The TE-2 Tera Echo represents a milestone as the 100th model in the long history of the BOSS compact series. Starting with the release of the OD-1 Overdrive in 1977, BOSS' legendary stompboxes have been integral tools of artistic expression for millions of players around the world. Fueled by a spirit of dedication and innovation that began nearly four decades ago, the TE-2 carries on the BOSS legacy of bringing inspiring, leading-edge technologies to musicians everywhere.

✖ TE-2 Specifications

- Nominal Input Level
 -20 dBu

- Input Impedance
 1 M ohm

- Nominal Output Level
 -20 dBu

- Output Impedance
 1 k ohm

- Recommended Load Impedance
 10 k ohms or greater

- Controls
 Pedal switch
 E. LEVEL knob
 TONE knob
 FEEDBACK knob
 S-TIME (Spread Time) knob

- Indicator
 CHECK indicator (Used for indication of HOLD, and to check battery)

- Connectors
 INPUT-A (MONO) jack
 INPUT-B jack
 OUTPUT-A (MONO) jack
 OUTPUT-B jack
 AC adaptor jack (DC 9 V)

- Power Supply
 Alkaline Battery (9V, 6LR61) or Carbon-zinc Battery (9V, 6F22)
 AC Adaptor (sold separately)

- Current Draw
 53 mA

- Expected battery life under continuous use (These figures will vary depending on the actual conditions of use.):
 Alkaline: Approx. 6 hours
 Carbon: Approx. 1.5 hours

- Dimensions
 73 (W) x 129 (D) x 59 (H) mm
 2-7/8 (W) x 5-1/8 (D) x 2-3/8 (H) inches

- Weight (including battery)
 435 g
 1 lb

- Accessories
 Owner's Manual
 Leaflet ("USING THE UNIT SAFELY," "IMPORTANT NOTE," and "Information")
 Alkaline Battery (9V, 6LR61)

- Option (sold separately)
 AC Adaptor (PSA Series)

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

Perfect Distortion Tones in Every Register

Powered by Multi-Dimensional Processing technology (MDP), the DA-2 Adaptive Distortion delivers ideal distortion tones wherever you play on the guitar neck.

- Next-generation BOSS compact pedal with innovative Multi-Dimensional Processing, realized with proprietary technology and custom DSP
- Distortion that adapts to create the ideal sound in every register
- Ultra-responsive to volume changes and playing dynamics
- High-clarity sound, even when playing two or more notes at the same time
- Very low noise, even with high-gain settings
- Intuitive operation similar to standard distortion pedals

Multi-Dimensional Processing for Superior Tone

Roland's innovative Multi-Dimensional Processing (MDP) analyzes audio signals in many dimensions and applies ideal effects to each. By giving different dynamic changes relative to the input signal in real time, MDP can create bold, all-new sounds with a previously unattainable range of expression.

DA-2: Ideal Distortion Across Your Guitar's Entire Range

Unlike standard distortion pedals that process the entire guitar signal with one effect, the DA-2's Multi-Dimensional Processing employs multiple distortion processors to seamlessly adapt the sound in real time and create the ideal tone for every register. As a result, the DA-2 delivers a rich, musical distortion that plays well all over the neck, from tight, edgy low-string tones to fat, smooth highs for lead playing. With the power of MDP, the DA-2's distortion is dramatically responsive to your playing dynamics, and every note is heard with clarity and definition.

Gallery

❈ DA-2 Specifications

- Nominal Input Level
  -20 dBu

- Input Impedance
  1 M ohm

- Nominal Output Level
  -20 dBu

- Output Impedance
  1 k ohm

- Recommended Load Impedance
  10 k ohms or greater

- Controls
  Pedal switch
  LEVEL knob
  LOW knob
  HIGH knob
  A-DIST (Adaptive Distortion) knob

- Indicator
  CHECK indicator (Serves also as battery check indicator)

- Connectors
  INPUT jack
  OUTPUT jack
  AC adaptor jack (DC 9 V)

- Power Supply
  Alkaline Battery (9V, 6LR61) or Carbon-zinc Battery (9V, 6F22)
  AC Adaptor (sold separately)

- Current Draw
  45 mA

- Expected battery life under continuous use (These figures will vary depending on the actual conditions of use.):
  Alkaline: Approx. 9 hours
  Carbon: Approx. 2.5 hours

- Dimensions
  73 (W) x 129 (D) x 59 (H) mm
  2-7/8 (W) x 5-1/8 (D) x 2-3/8 (H) inches

- Weight (including battery)
  420 g
  15 oz

- Accessories
  Owner's Manual
  Leaflet ("USING THE UNIT SAFELY," "IMPORTANT NOTE," and "Information")
  Alkaline Battery (9V, 6LR61)

- Option (sold separately)
  AC Adaptor (PSA Series)

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

Expressive Compact with Distinctive, All-New Tones

Powered by Multi-Dimensional Processing technology (MDP), the MO-2 Multi Overtone uses your guitar's harmonic characteristics to create a wide range of extraordinary new sounds.

- Next-generation BOSS compact pedal with innovative Multi-Dimensional Processing, realized with proprietary technology and custom DSP

- Impressive, harmonically rich sounds that compliment and enhance your straight guitar sound

- Works well with both clean and distorted guitar tones, and also bass guitar

- Ultra-responsive to volume changes and playing dynamics

- Three different sound modes; wide range of tonal adjustment with simple controls

- Mono or stereo output

Gallery

Multi-Dimensional Processing for Superior Tone

Roland's innovative Multi-Dimensional Processing (MDP) analyzes audio signals in many dimensions and applies ideal effects to each. By giving different dynamic changes relative to the input signal in real time, MDP can create bold, all-new sounds with a previously unattainable range of expression.

MO-2: An Expressive New Voice

The MO-2 produces incredibly distinctive and expressive tones only possible with the magic of MDP. Using your guitar's rich harmonic characteristics as a starting point, the MO-2 builds completely new voices that enhance and thicken your normal sound. Three different modes offer diverse tone-shaping options, while the DETUNE knob unlocks a wide range of impressive modulation effects. From shimmery multi-string resonance to flute-like transparency to powerful textures reminiscent of organs and synths, the MO-2 brings you an array of unique sonic tools that add all-new dynamic resonance characteristics to your guitar.

▓ MO-2 Specifications

- **Nominal Input Level**
  -20 dBu

- **Input Impedance**
  1 M ohm

- **Nominal Output Level**
  -20 dBu

- **Output Impedance**
  1 k ohm

- **Recommended Load Impedance**
  10 k ohms or greater

- **Controls**
  Pedal switch
  BALANCE knob
  TONE knob
  DETUNE knob
  MODE knob

- **Indicator**
  CHECK indicator (Serves also as battery check indicator)

- **Connectors**
  INPUT jack
  OUTPUT-A (MONO) jack
  OUTPUT-B jack
  AC adaptor jack (DC 9 V)

- **Power Supply**
  Alkaline Battery (9V, 6LR61) or Carbon-zinc Battery (9V, 6F22)
  AC Adaptor (sold separately)

- **Current Draw**
  40 mA

- **Expected battery life under continuous use (These figures will vary depending on the actual conditions of use.):**
  Alkaline: Approx. 10 hours
  Carbon: Approx. 3 hours

- **Dimensions**
  73 (W) x 129 (D) x 59 (H) mm
  2-7/8 (W) x 5-1/8 (D) x 2-3/8 (H) inches

- **Weight (including battery)**
  430 g
  1 lb

- **Accessories**
  Owner's Manual
  Leaflet ("USING THE UNIT SAFELY," "IMPORTANT NOTE," and "Information")
  Alkaline Battery (9V, 6LR61)

- **Option (sold separately)**
  AC Adaptor (PSA Series)

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

STUDIO-CAPTURE
USB2.0 Audio Interface

Flagship 16x10 Interface with 12 Premium Mic Preamps

With the new STUDIO-CAPTURE, Roland once again raises the performance standard for computer-based audio production. The latest addition to the acclaimed CAPTURE family boasts 12 premium-grade mic preamps, an industry first for a compact USB audio interface. A total of 16 audio inputs, 10 audio outputs, and MIDI I/O offers massive connectivity for pro-level setups, all in a single, tabletop unit that fits easily into a travel bag. Other top-flight features include 24-bit/192 kHz audio quality, comprehensive front-panel metering, XLR monitor outputs with dedicated level control, dual headphone outputs, rock-solid drivers with VS STREAMING technology, and much more. Durable, portable, and ready to take on large-scale recording projects both in the studio and on the road, STUDIO-CAPTURE stands head and shoulders above all other USB audio interfaces on the market.

- High-performance USB 2.0 audio interface for studio and mobile production
- 16 audio inputs and 10 audio outputs, including 12 premium mic preamps (VS PREAMP)
- VS STREAMING delivers ultra-stable, low-latency driver performance for Windows and Mac
- AUTO-SENS intelligently sets optimal input levels for all preamps
- Individual input/output meters and input channel buttons
- Four independent, software-controlled monitor mixes
- XLR monitor out, direct monitor, and dual headphone outputs with independent front-panel level knobs
- Coaxial digital I/O; MIDI I/O with FPT
- Expand your I/O by using two STUDIO-CAPTUREs together, both controlled with a single driver
- 2U rackmount ears included

Gallery

❈ Top Quality for Modern Audio Production

Combining pro-level audio performance, abundant I/O, and a versatile mobile design, STUDIO-CAPTURE is a powerful solution for today's musicians, composers, and recording engineers. It delivers quality equivalent to dedicated rackmount audio interfaces costing much more, all in a compact, go-everywhere package that's equally suited for traveling production, tabletop use in home studios, or permanent installation in commercial studios with the included rack ears. The 16 audio inputs, 12 mic preamps, and flexible monitor mixing allow you to track most bands without adding any additional hardware, or simultaneously connect multiple synthesizers and other devices in large-scale composing setups. To take on really big projects, you can seamlessly expand your I/O to 32 inputs and 24 mic preamps simply by adding a second STUDIO-CAPTURE.

❈ 12 Premium Mic Preamps

Among its many standout features, STUDIO-CAPTURE offers 12 digitally controlled mic preamps (VS PREAMPS), built with premium-grade components for exceptional low-noise performance, high headroom, and transparent sound quality. 12 XLR/TRS combo inputs are provided for the preamps, with four inputs conveniently located on the front panel for quick and easy access. Available on each channel is independent phantom power, a low-cut filter, phase invert, and digital compression, accessible via the included software control panel.

❈ Generous and Flexible I/O

STUDIO-CAPTURE is equipped with a total of 16 input channels and 10 output channels. With the versatile, space-saving combo jacks, each of the 12 XLR mic inputs can alternately be used as a balanced/unbalanced ¼-inch line input, while inputs 13-16 have their own dedicated rear-panel TRS jacks. Inputs 1 and 2 can be switched to Hi-Z operation for connecting guitars and basses directly, while inputs 15/16 can be assigned to the coaxial digital input. Eight analog outputs are provided on TRS jacks, with the main stereo outputs mirrored on XLR jacks. Two additional outputs (9/10) are available via a coaxial digital jack. STUDIO-CAPTURE also features MIDI I/O, with Roland's proprietary FPT processing for superior high-speed performance.

Expand your I/O by using two STUDIO-CAPTUREs together.

STUDIO-CAPTURE
USB2.0 Audio Interface

▨ High-Performance VS STREAMING Technology

STUDIO-CAPTURE offers high-resolution, 24-bit recording at rates up to 192 kHz, with incredible stability and industry-leading low-latency USB performance provided by Roland's proprietary VS STREAMING technology. All current Mac and PC DAW platforms are supported through ASIO 2.0/WDM (Windows) and Core Audio (Mac) drivers. Thanks to VS STREAMING, you can expand your I/O by using two STUDIO-CAPTUREs on the same USB bus without compromising stability or audio quality.

▨ AUTO-SENS: Perfect Levels at the Touch of a Button

Among its many standout features, STUDIO-CAPTURE offers 12 digitally controlled mic preamps (VS PREAMPS), built with premium-grade components for exceptional low-noise performance, high headroom, and transparent sound quality. 12 XLR/TRS combo inputs are provided for the preamps, with four inputs conveniently located on the front panel for quick and easy access. Available on each channel is independent phantom power, a low-cut filter, phase invert, and digital compression, accessible via the included software control panel.

▨ Comprehensive Monitoring and Metering

Bright, responsive LED meters let you keep an eye on levels for individual input and output channels and the MONITOR OUT, while dedicated input channel buttons and other intuitive controls make it easy to navigate the built-in display. The MONITOR OUT section features a dedicated LEVEL knob for control room volume, plus a DIRECT MONITOR knob for listening to selected input signals. Two headphone jacks—each with their own level knob—allow a musician and engineer to monitor at the same time without additional hardware.

▨ Flexible Monitor Mixing with Effects

Beyond traditional audio interfacing, STUDIO-CAPTURE offers four independent Direct Mixers for zero-latency monitoring, operated via the software control panel. Powered by STUDIO-CAPTURE's internal DSP, each mix can be routed to any of the outputs, perfect for sending custom monitor mixes to headphones, speakers, or recording devices. Mix configurations can be saved for later use, providing quick setups for many different applications. A high-quality reverb processor is available for monitoring, allowing singers and instrumentalists to record dry tracks while listening to great-sounding ambience effects.

STUDIO-CAPTURE
USB2.0 Audio Interface

▨ STUDIO-CAPTURE Specifications

- Number of Audio Record/Playback Channels
 Sampling Rate: 96 kHz, 48 kHz, 44.1 kHz
 Record: 16 channels
 Playback: 10 channels

 Sampling Rate: 192 kHz
 Record: 8 channels
 Playback: 4 channels

- Signal Processing
 PC Interface: 24 bits
 AD/DA Conversion: 24 bits

- Sampling Rate
 AD/DA Conversion: 192 kHz, 96 kHz, 48 kHz, 44.1 kHz
 DIGITAL (IN/OUT): 96 kHz, 48 kHz, 44.1 kHz

- Nominal Input Level (variable)
 Input 1--12 Jacks (XLR type): -60-- -2 dBu
 Input 1--12 Jacks (1/4-inch TRS phone type): -54--+4 dBu
 Input 13--16 Jacks (1/4-inch TRS phone type): -20, -10, +4 dBu

- Nominal Output Level
 OUTPUT 1--8 Jacks: +4 dBu (balanced)

- Headroom
 18 dB

- Input Impedance
 Input 1--12 Jacks (XLR type): 8.2 k ohms (balanced)
 Input 1--12 Jacks (1/4-inch TRS phone type): 18 k ohms (balanced)
 Input 13--16 Jacks (1/4-inch TRS phone type): 38 k ohms (balanced)

- Output Impedance
 OUTPUT 1--2 Jacks (XLR type): 600 ohms (balanced)
 OUTPUT 1--8 Jacks (1/4-inch TRS phone type): 2k ohms (balanced)
 PHONES: 47 ohms

- Frequency Response
 192.0 kHz: 20 Hz--60 kHz (+0/-2 dB), 20 Hz--90 kHz (+0/-8 dB)
 96.0 kHz: 20 Hz--40 kHz (+0/-2 dB)
 48.0 kHz: 20 Hz--22 kHz (+0/-2 dB)
 44.1 kHz: 20 Hz--20 kHz (+0/-2 dB)

- Residual Noise Level
 INPUT 1--2 -> OUTPUT 1--2: -90 dBu typ. (SENS = min., Input terminated with 600 ohms, IHF-A)
 * Input Channel Fader = Unity

- Dynamic Range
 AD Block INPUT 1--2: 105 dB typ. (SENS = min.)
 DA Block OUTPUT 1--2: 114 dB typ.

- Display
 Graphic LCD 128 x 64 dots

- Connectors
 INPUT 1--12 Jacks *1: XLR type (balanced, phantom power *2: DC +48 V (unloaded maximum), 10 mA (maximum load))
 INPUT 1--16 Jacks: 1/4-inch TRS phone type (balanced)
 PHONES Jack: Stereo 1/4-inch phone type
 OUTPUT 1--8 Jacks: 1/4-inch TRS phone type (balanced)
 COAXIAL IN Jack: RCA phono type (conforms to IEC60958)
 COAXIAL OUT Jack: RCA phono type (conforms to IEC60958)
 MIDI (IN, OUT) Connectors
 USB Port: USB Type B
 DC IN Jack
 *1 INPUT 1--2 jacks support high impedance
 *2 Provided on all XLR-type input jacks. Current value is per channel. Total must not exceed 50 mA.

- Interface
 Hi-Speed USB

- Power Supply
 AC Adaptor

- Current Draw
 1.6 A

- Dimensions
 284 (W) x 162 (D) x 89 (H) mm
 11-3/16 (W) x 6-7/16 (D) x 3-9/16 (H) inches

- Weight (excluding AC adaptor and rack mount angles)
 1.9 kg
 4 lb 4 oz

- Accessories
 Owner's Manual
 Block Diagram Leaflet
 AC Adaptor
 STUDIO-CAPTURE Driver CD-ROM
 Rack Mount Angle x 2
 USB Cable
 License Agreement

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

DUO-CAPTURE mk2
USB Audio Interface

Versatile Audio I/O for Mac, PC, and iPad

Delivering flexible features in a compact, affordable package, the DUO-CAPTURE mk2 USB Audio Interface is ideal for mobile audio production with your laptop or iPad. It's equipped with two audio inputs and two audio outputs, plus dual headphone outs that are perfect for side-by-side musician/engineer sessions. Ultra-stable, low-latency drivers offer premium performance, while a versatile selection of I/O formats accommodate a variety of gear. With its unique, slimline design and stable operation, DUO-CAPTURE mk2 is the perfect audio interface for recording musicians on the go.

- Small, convenient audio interface for mobile musicians
- Compatible with Mac and PC; iPad compatibility via Apple's iPad Camera Connection Kit
- 1/4-inch MIC/GUITAR input with Hi-Z switch for connecting a guitar directly
- 1/8-inch stereo input; 1/8-inch and 1/4-inch dual headphone outputs
- Dedicated controls for input and output volume
- Low-latency ASIO (Windows) and Core Audio (Mac) drivers; input monitor function
- USB bus powered
- Cakewalk SONAR X1 LE for Windows included

Gallery

DUO-CAPTURE mk2
USB Audio Interface

❋ DUO-CAPTURE mk2 Specifications

- Number of Audio Record/Playback Channels
  Record: 1 pair of stereo
  Playback: 1 pair of stereo

- Signal Processing
  24 bits

- Sampling Frequency
  48 kHz, 44.1 kHz

- Nominal Input Level
  LINE IN: -10 dBu
  MIC/GUITAR (Hi-Z button = ON): -25 dBu
  MIC/GUITAR (Hi-Z button = OFF): -45 dBu

- Interface
  USB

- Controllers
  INPUT VOLUME slider
  OUTPUT VOLUME slider
  INPUT GAIN button
  Hi-Z button
  INPUT MONITOR button
  SAMPLE RATE switch
  COMP/TAB switch

- Indicators
  USB indicator
  PEAK indicator

- Connectors
  LINE IN jack: Stereo miniature phone type
  MIC/GUITAR jack: 1/4-inch phone type
  PHONES jack: Stereo 1/4-inch phone type
  PHONES (LINE OUT) jack: Stereo miniature phone type
  USB port: USB Type B

- Power Supply
  Supplied from the computer via USB

- Current Draw
  96 mA

- Dimensions
  81 (W) x 119 (D) x 31 (H) mm
  3-3/16 (W) x 4-11/16 (D) x 1-1/4 (H) inches

- Weight (main unit only)
  130 g
  5 oz

- Accessories
  Owner's Manual
  Driver CD-ROM
  Cakewalk SONAR LE DVD-ROM (for Windows)
  USB cable

* 0 dBu = 0.775 Vrms

All specifications and appearances are subject to change.

*Apple, the Apple logo, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND INTRODUCES V-COMBO VR-09 MOBILE KEYBOARD
Instant Access to Inspiring Tones and Live Expression

Los Angeles, CA, January 21, 2013 — Roland is pleased to announce the V-Combo VR-09, an easy-to-transport, all-in-one solution for performing keyboard players. Dedicated piano, organ, and synth sound engines provide essential tones for live playing, while extensive real-time controls and other features offer maximum expression on stage. With its versatile sounds, inspiring operation, and smart user interface, the streamlined V-Combo VR-09 is a dream come true for gigging musicians.

The V-Combo VR-09 was designed from the ground up with live players in mind. An intuitive front-panel layout and clear LCD screen provides quick access to Roland's top piano, organ, and synth sound engines, as well as plenty of real-time controls for expressive sound manipulation. Seven different effects are available simultaneously, with dedicated knobs that allow users to tweak multiple parameters with a single twist. In addition, convenient buttons make it simple to set up splits and layers and quickly save/recall custom keyboard setups while performing.

Piano is a cornerstone sound for live playing, and the V-Combo VR-09 is filled with a wide variety for covering all musical styles. The gorgeous acoustic grand piano sound features 88-note stereo multi-sampling, delivering pro-level tone that rivals Roland's dedicated stage pianos. Many popular vintage E. Piano sounds are onboard as well, along with complementary effects such as vintage phaser and tremolo.

Roland's renowned SuperNATURAL® technology powers the V-Combo VR-09's classic tone wheel organs, while nine harmonic bars provide authentic, instantaneous performance control. In addition, a newly added transistor-type organ offers the unique sound of combo instruments from the 1960s. Rotary speaker and amp simulators are also included, including the all-new "Twin Rotary" effect.

A large variation of ready-to-play synthesizer sounds range from vintage analog classics to modern digital synths. Front-panel controls allow players to tweak synth tones while performing, including convenient ADR and cutoff/resonance adjustment with the harmonic bars in the ORGAN block. Effects like "Bit Crash" provide the ability to create modern synth sounds for current dance music, including Dubstep.

The free VR-09 Editor app for iPad provides powerful control of the organ and synth sound engines via the tablet's full-color touchscreen interface. iPad users can intuitively edit the V-Combo VR-09's organ and synth sounds at home with the VR-09 Editor, then take the tablet to the gig and use the app for extra real-time control on stage. Convenient, cable-free communication between the V-Combo VR-09 and iPad is simple to set up with Roland Wireless Connect. Alternately, users can link up with

a USB cable via Apple's iPad Camera Connection Kit.

Many additional features are provided in the V-Combo VR-09 to expand and enhance the onstage experience. A built-in looper lets users build rich ensemble tracks on the fly with the instrument's large selection of sounds, and WAV, MP3, and SMF songs can be played directly from optional USB flash memory for a full-band sound while performing solo or in small combos. A wide selection of onboard rhythms offer backing for practice and performing, while the famous D-BEAM® controller gives players powerful, dynamic expression with a wave of a hand.

For more information, visit www.RolandConnect.com.

About Roland Corporation
Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.RolandUS.com/Media.

Apple and iPad are trademarks of Apple, Inc., registered in the U.S. and other countries.

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

BOSS DEBUTS NEW COMPACT PEDALS WITH MULTI-DIMENSIONAL PROCESSING
Next-Generation Effects with Innovative New MDP Technology

Los Angeles, CA, January 21, 2013 — BOSS is pleased to announce three next-generation compact pedals featuring innovative Multi-Dimensional Processing (MDP). Powered by this important new technology, the TE-2 Tera Echo, DA-2 Adaptive Distortion, and MO-2 Multi Overtone pedals deliver an amazing range of dynamic and expressive sonic textures, providing guitarists an exciting new set of tools to dramatically expand their tonal range.

Superior Tone with Multi-Dimensional Processing
Roland's innovative Multi-Dimensional Processing (MDP) analyzes audio signals in many dimensions and applies ideal effects to each. By giving different dynamic changes relative to the input signal in real time, MDP can create bold, all-new sounds with a previously unattainable range of expression.

TE-2 Tera Echo
The TE-2 delivers amazing new ambience effects that go far beyond traditional reverb and delay processing. MDP produces an incredibly deep and spacious sound, dramatically enhancing the straight guitar tone without overwhelming it. With simple, familiar stompbox controls and incredible dynamic sensitivity, an extremely wide range of inspiring sounds can be achieved. In addition, the TE-2's expressive Freeze function allows players to hold the current effect sound for lead backing and unique sound effects.

The 100th BOSS Compact Series Model
The TE-2 has the further distinction of representing the 100th model in the long history of the BOSS compact series. Starting with the release of the OD-1 Overdrive in 1977, BOSS' legendary stompboxes have been integral tools of artistic expression for millions of players around the world. Fueled by a spirit of dedication and innovation that began nearly four decades ago, the TE-2 and the new MDP-powered pedals carry on the BOSS legacy of bringing inspiring, leading-edge technologies to all musicians.

DA-2 Adaptive Distortion
Unlike standard distortion pedals that process the entire guitar signal with a single effect, the MDP-powered DA-2 adapts the sound in real time to create the ideal tone for every register. The result is a rich, musical distortion that plays well all over the guitar neck, from tight, edgy low-string tones to fat, smooth highs. With the power of MDP, the DA-2's

distortion is amazingly responsive to playing dynamics, and every note can be heard with high definition, even when playing two or more notes at the same time.

MO-2 Multi Overtone
The MO-2 provides incredibly distinctive and expressive tones only possible with the magic of MDP. Using the guitar's rich harmonic overtones as a starting point, the MO-2 builds completely unique sounds that enhance and thicken the normal tone. Three different modes offer diverse sound-shaping options, while the DETUNE knob unlocks a wide range of impressive modulation effects. From shimmery multi-string resonance to flute-like transparency to powerful textures reminiscent of organs and synths, the MO-2 brings a variety of all-new dynamic resonance characteristics to guitarists everywhere.

For more information, visit www.RolandConnect.com.

About BOSS
BOSS, a division of Roland Corporation, has achieved legendary status among guitarists by offering a diverse, world-leading product lineup that includes compact effects processors, multi-effects processors, digital recorders, rhythm machines, metronomes, tuners, and more. For more information, visit http://www.BossUS.com.

For high-resolution images of this product, please visit http://www.RolandUS.com/Media.

For embeddable videos, please visit http://www.YouTube.com/BossChannel.

Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles CA 90040-2938
T: (323) 890-3700 F: (323) 890-3701 www.RolandUS.com

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND UNVEILS RD-64 DIGITAL PIANO
Grand Piano Sound and Touch in a Compact Instrument

Los Angeles, CA, January 21, 2013 — Roland is proud to introduce the RD-64
Digital Piano, a weighted-action instrument that's compact and easy to transport. The
64-note Ivory Feel-G keyboard with Escapement provides a true piano-action feel,
while the acclaimed SuperNATURAL® Piano sound engine delivers superb acoustic
piano tones. Along with powerful MIDI controller functionality and iPad compatibility,
the RD-64 is ideal for stage playing, home studios, mobile composing, teaching labs,
and more.

In contrast to large, heavy, and hard-to-carry 88-note stage pianos, the RD-64 allows
players to enjoy Roland's acclaimed piano features in a compact, travel-friendly
instrument. The streamlined, lightweight design fits easily in small vehicles and takes
up less space on crowded stages, and is perfect for use in home studios and school
applications where space is at a premium.

The RD-64 features Roland's acclaimed SuperNATURAL Piano sound engine for
authentic acoustic piano tones and a selection of expressive SuperNATURAL-based
electric pianos for playing and studio recording. Also onboard are a number of clav
and organ sounds, giving performing keyboardists the essential sounds they need to
cover a wide range of music styles.

The 64-note Ivory Feel-G keyboard incorporates Roland's most advanced sensor
technology, escapement mechanism, and Ivory Feel features, providing the superior
touch and sensitivity of Roland's flagship 88-note pianos.

Onboard effects include a high-quality stereo reverb, plus EFX 1 and EFX 2
processors loaded with effects specifically tailored for the built-in sounds. There's
also a two-band EQ for overall sound shaping, with easy adjustment via two
dedicated knobs. Stereo RCA inputs allow the user to connect an external music
player for live backing tracks and practicing.

With assignable knobs and buttons, a pitch bend/mod lever, and D-BEAM, the RD-64
is a powerful master keyboard for controlling synths and other devices on stage and
in the studio. Additionally, its controllers can be automatically assigned to fully utilize
the expressive potential of Roland's SuperNATURAL-powered synths, including the
INTEGRA-7 sound module and JUPITER-80/-50.

With iPad compatibility via Apple's iPad Camera Connection Kit, the RD-64 provides
a portable, weighted-action keyboard to use with the popular tablet computer.

For more information, visit www.RolandConnect.com.

About Roland Corporation

Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.RolandUS.com/Media.

For embeddable videos, please visit http://www.YouTube.com/RolandChannel.

Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles CA 90040-2938
T: (323) 890-3700 F: (323) 890-3701 www.RolandUS.com

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND INTRODUCES BT-1 BAR TRIGGER PAD
Versatile Add-On Trigger Pad for V-Drums and Acoustic Drums

Los Angeles, CA, January 21, 2013 — Roland is pleased to announce the BT-1 Bar Trigger Pad, a compact device that attaches easily to nearly any V-Drums® V-Pad™ or acoustic drum. The BT-1 is great not only for playing sounds in a Roland V-Drums module or SPD-series percussion pad, but also for convenient control of a variety of useful functions.

The BT-1 is a simple, single-trigger pad with a compact, curved shape. It directly attaches to the hoop of most drums using a tension rod or a standard rod-type mount with the included attachment parts. The internal design eliminates false triggering due to crosstalk while playing surrounding drums and/or pads.

Plugging the BT-1 into a trigger input on a V-Drums module or SPD-series percussion pad allows users to play any sound or trigger a wide variety of functions. These include start/stop of songs and phrase loops, kit selection, tap tempo, effects on/off, and many others.

For V-Drums players, the BT-1 makes it simple to incorporate additional triggers without having to add more pads.

For acoustic drummers, the BT-1 offers an easy and affordable way to integrate electronics with their kits. Unlike large round pads and footswitches, the BT-1 blends seamlessly without the player having to adjust their setup or playing style.

For more information, visit www.RolandConnect.com.

About Roland Corporation
Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.RolandUS.com/Media.

For embeddable videos, please visit http://www.YouTube.com/RolandChannel.

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND DEBUTS HPI-50 DIGITAL PIANO
Top-Level Piano Features and High-Resolution DigiScore

Los Angeles, CA, January 21, 2013 — Roland is pleased to announce the HPi-50 Digital Piano, the latest addition to the acclaimed HPi series of interactive home pianos. Combining Roland's top piano technologies and latest DigiScore® education features in an attractive, space-saving instrument, the HPi-50 brings the joy of playing the piano to the entire family.

SuperNATURAL® Piano technology brings perfect sound and expression to HPi-50, with seamless velocity response, natural note decay, and authentic key-range behavior. With the SuperNATURAL Piano sound engine, every note has its own character, faithful to the performance of a real acoustic grand.

Further enhancing the SuperNATURAL Piano experience is the flagship PHA III (Progressive Hammer Action III) Ivory Feel keyboard with Escapement. With fast key repetition and sensitivity, the PHA III faithfully translates the subtle tonal differences of different playing styles and the force at which the keys are played. In addition, the keys are finished with a unique material that provides the look and feel of real ivory and ebony.

Roland's renowned DigiScore makes learning the piano fun. Digital sheet music is displayed on the large color LCD (1280 x 800 dots) built into the music rest, which offers greatly enhanced resolution over previous models. The new Auto Sync feature ensures that the onscreen notation follows your performance perfectly regardless of your tempo, while 32nd notes and up to 48 measures of music can be displayed at once.

DigiScore provides many notation-based exercises and music games that make sharpening piano skills challenging and fun for children and adults alike. Other education features include a graphical metronome, onscreen keyboard, and a Finger Training program that allows users to visually check playing dynamics.

The HPi-50 also comes with a large onboard music library, with 50 onboard rhythm accompaniments and nearly 400 internal songs. Included are popular études such as Czerny 100 and Hanon, plus many classical masterpieces and popular songs.

Rich, resonant sound is provided by the HPi-50's innovative Acoustic Projection sound system. Using four discrete speakers and complex, multi-channel internal processing, the various elements of piano tone and resonance are blended independently, then output to the sound system for an incredibly organic and spatial sound.

The HPi-50 offers a space-saving upright design and a Simulated Rosewood finish, providing a compact footprint and attractive look that fits in nicely with any living space.

For more information, visit www.RolandConnect.com.

<div align="center">---------</div>

About Roland Corporation
Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.RolandUS.com/Media.

For embeddable videos, please visit http://www.YouTube.com/RolandChannel.

Roland

Press Release

Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles CA 90040-2938
T: (323) 890-3700 F: (323) 890-3701 www.RolandUS.com

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND ANNOUNCES CD-2U AND SD-2U RECORDERS
Compact Recorders with Integrated Tools for Practice and Education

Los Angeles, CA, January 21, 2013 — Roland is pleased to introduce the CD-2u SD/CD Recorder and SD-2u SD Recorder, two all-in-one portable recording devices. Both units record CD-quality audio to SD/SDHC cards, and include many useful features for music practice and education. The CD-2u offers identical features to the SD-2u, with the addition of CD burning/playback capability. Compact and ready to travel, the CD-2u and SD-2u are ideal for mobile audio recording, learning music and languages, and much more.

Both the CD-2u and SD-2u feature an integrated high-quality stereo microphone, making it easy to capture audio anywhere. Built-in, high-performance stereo speakers provide convenient sound playback of recordings, music, lesson material, and more.

The CD-2u and SD-2u also provide connections to integrate external devices for various applications. Two XLR/TRS combo jacks allow users to connect their own microphones, with phantom power available if needed. There's also a stereo mini-mic jack with Plug In Power, plus stereo RCA LINE IN jacks for connecting an instrument, music player, or other audio sources.

In addition to SD/SDHC recording, the CD-2u also offers recording direct to CD and CD-RW discs. Standard audio CDs can be played as well. This allows users to easily burn and play audio CDs anywhere without the need to use a computer.

Both recorders are equipped with powerful features for manipulating audio playback, providing useful tools for building music skills, learning languages, transcribing spoken-word audio, and more. Users can independently adjust the speed and pitch with exceptional audio quality, perfect for slowing down passages to learn difficult parts or changing the key of music to match a singer's vocal range.

An improved Center Cancel function removes vocals and solos from commercial songs, allowing users to create minus-one tracks for practice and karaoke fun. The newly developed Center Focus feature isolates center-located sounds in music tracks to make them easier to hear and learn.

Both recorders also feature practice essentials such as a chromatic tuner and metronome. A wireless remote control is included as well.

The CD-2u and SD-2u can be powered via the included AC adaptor, or with six AA batteries. AC power is required when using the CD-2u's CD recording and playback functions.

For more information, visit www.RolandConnect.com.

Roland

Press Release

Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles CA 90040-2938
T: (323) 890-3700 F: (323) 890-3701 www.RolandUS.com

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND DEBUTS CUBE LITE AMPS WITH i-CUBE-LINK
Compact, Stylish Amplifiers with iOS Audio Interfacing Built In

Los Angeles, CA, January 21, 2013 — Roland is pleased to introduce the CUBE™ Lite Guitar Amplifier and CUBE™ Lite MONITOR, two new compact amplifiers with built-in audio interfaces for Apple's iOS devices. With stylish looks and impressive 2.1-channel sound, the CUBE Lite amps allow musicians to enjoy playing and recording music comfortably at home with their iPhone, iPad, or iPod touch via i-CUBE-LINK.

Roland's newly developed i-CUBE-LINK audio interface provides simple, convenient communication with iOS devices through a single cable included with the CUBE Lite. Plugging into the i-CUBE-LINK jack allows users to play iOS music through the amplifier, and also record the amp sound directly into any iOS audio app, including Roland's free CUBE JAM.

Featuring a powerful 2.1-channel audio system, the CUBE Lite amplifiers are great for both playing instruments and listening to music. The stereo speakers and integrated subwoofer deliver amazingly rich and full sound in a compact footprint. For silent practice, users can plug in headphones to mute the onboard speakers.

The CUBE Lite Guitar Amplifier is equipped with three killer COSM® tones—JC CLEAN, CRUNCH, and EXTREME—giving guitarists a wide range of sounds for playing any style of music. Reverb and chorus effects are onboard as well, with true stereo performance for a wide, expansive sound.

With mic and instrument inputs, the CUBE Lite MONITOR is ideal for singers and musicians who play electronic instruments such as piano, synthesizer, etc. Easy-to-use reverb and echo effects provide a satisfying ambience for singing and playing.

The companion CUBE JAM app turns an iOS device into a fun command center for jamming, recording, and learning. Users can play along with commercial songs and create minus-one tracks through the CUBE Lite, and play the recorded audio back into CUBE JAM through the i-CUBE LINK connection. After recording, users can adjust the volume of their performance and backing music independently in the app, then export a mix to a 16-bit, 44.1 kHz WAV file for sharing. CUBE JAM also includes powerful tools for music practice, including independent speed and pitch adjustment of audio playback, Center Cancel, and more.

The CUBE Lite series offers a stylish appearance that blends in nicely with home furnishings. The CUBE Lite MONITOR comes in a handsome white finish, while the CUBE Lite Guitar Amplifier is available in three different attractive finishes: white, red, or black.

For more information, visit www.RolandConnect.com.

About Roland Corporation
Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.RolandUS.com/Media.

For embeddable videos, please visit http://www.YouTube.com/RolandChannel.

Apple, iPad, iPhone and iPod touch are trademarks of Apple, Inc., registered in the U.S. and other countries

Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles CA 90040-2938
T: (323) 890-3700 F: (323) 890-3701 www.RolandUS.com

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND ANNOUNCES USA-MADE V-GUITAR
G-5A-CAR VG Stratocaster®, Built in the U.S. Fender Factory

Los Angeles, CA, January 21, 2013 — Roland is pleased to announce the G-5A-CAR VG Stratocaster, a new addition to the acclaimed lineup of V-Guitar instruments. Manufactured in the Fender® factory in Corona, CA, the G-5A-CAR is an authentic American Standard Stratocaster guitar with Roland's amazing COSM® technology built in, providing players revolutionary tonal versatility in a top-level instrument.

The G-5A-CAR represents the latest development in the ongoing partnership between Roland and Fender, which aims to enhance and expand the potential of the guitar through the seamless integration of familiar, world-class instrument design and leading-edge digital processing.

Fender's legendary American Standard Stratocaster is renowned among guitarists for its classic tone, impeccable playability, and quality U.S. craftsmanship. As an instrument, the G-5A-CAR is a genuine American Standard Strat in every way, from pickups to tone woods to hardware. It features a gorgeous Candy Apple Red finish, plus a 22-fret maple neck with rosewood fingerboard.

With its integrated COSM electronics, the G-5A-CAR gives guitarists an entire collection of world-class tones to pick and choose from, all in the same instrument. Using familiar Stratocaster controls, 20 COSM pickup and instrument tones are instantly available, plus alternate tunings and 12-string sounds. With the G-5A-CAR, guitarists can play a single instrument and change tones effortlessly, instead of having to switch out guitars every time they need a different sound or tuning.

The 20 COSM sounds onboard the G-5A-CAR include Fender Stratocaster, Telecaster®, humbucking, 12-string, acoustic models, and other unique, cutting-edge tones. A Mode knob selects one of five distinct modeling modes, while the Tuning knob allows players to apply alternate tunings such as open G, drop D, baritone, and others to any currently selected model. In addition, a digital reverb effect is available when an acoustic model is selected.

If desired, players can easily bypass the instrument's COSM section entirely, using the G-5A-CAR as a conventional Strat with its built-in single-coil pickups.

Distributed exclusively by Roland, the G-5A-CAR VG Stratocaster is a limited-edition model available at authorized V-Guitar Station dealers. For more information, visit www.RolandConnect.com.

Roland

Press Release

Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles CA 90040-2938
T: (323) 890-3700 F: (323) 890-3701 www.RolandUS.com

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND UNVEILS STUDIO-CAPTURE USB 2.0 AUDIO INTERFACE
Flagship 16x10 Interface with 12 Premium Mic Preamps

Los Angeles, CA, January 21, 2013 — Roland is proud to announce the STUDIO-CAPTURE USB 2.0 Audio Interface, the new flagship of the acclaimed CAPTURE family of computer-based recording interfaces. Featuring pro-level performance, generous I/O that includes 12 premium-grade mic preamps, and a flexible, mobile design that's equally at home in the studio or on the road, STUDIO-CAPTURE sets an all-new standard in USB audio interfaces.

STUDIO-CAPTURE offers a powerful, versatile solution for today's musicians, composers, and recording engineers. It delivers quality equivalent to dedicated rackmount audio interfaces costing much more, all in a compact, go-everywhere package that's ideal for traveling production, tabletop use in home studios, or permanent installation in commercial recording facilities.

STUDIO-CAPTURE delivers an industry first, providing 12 mic preamps (VS PREAMPS) in one compact USB audio interface. Built with premium-grade components, VS PREAMPs deliver exceptional low-noise performance, high headroom, and transparent sound quality. Available for each mic channel is independent phantom power, a low-cut filter, phase invert, and digital compressor which has same algorithm in the Roland V-Mixer, all accessible via the included software control panel and front panel.

With a total of 16 input channels and 10 output channels, STUDIO-CAPTURE is equipped with plentiful I/O for large-scale recording projects and composing setups with multiple synthesizers and other devices. Digital I/O is provided on coaxial connectors, while MIDI I/O features Roland's proprietary FPT processing for superior high-speed performance.

Roland's VS STREAMING driver delivers high-resolution, 24-bit recording at rates up to 192 kHz, with incredible stability and industry-leading low-latency USB performance. All current Mac and PC DAW platforms are supported through ASIO 2.0/WDM (Windows) and Core Audio (Mac) drivers. The superior VS STREAMING technology allows users to seamlessly expand their I/O by using two STUDIO-CAPTUREs on the same USB bus without compromising stability or audio quality.

The CAPTURE family's unique and innovative AUTO-SENS feature makes it fast and easy for users to set perfect input levels every time. By inputting audio signals and pressing the dedicated front-panel AUTO-SENS button, STUDIO-CAPTURE automatically sets the ideal recording level for each input in seconds.

Bright, responsive front-panel LED meters display levels for individual input and output channels and the MONITOR OUT, while dedicated input channel buttons and other intuitive controls make it easy to navigate the built-in display. The MONITOR OUT section features a dedicated LEVEL knob for control room volume, plus a DIRECT MONITOR knob for listening to selected input signals. Two headphone jacks with individual volume controls are provided as well.

STUDIO-CAPTURE features four software-controlled Direct Mixers, letting users set up independent monitor mixes and route them to headphones, speakers, or other recording and mixing devices. A high-quality reverb/delay processor is available for monitoring, allowing performers to record dry tracks while listening to great-sounding ambience effects.

For more information, visit www.RolandConnect.com.

About Roland Corporation
Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.RolandUS.com/Media.

For embeddable videos, please visit http://www.YouTube.com/RolandChannel.

Mac is a trademark of Apple, Inc., registered in the U.S. and other countries.

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND ANNOUNCES THE DUO-CAPTURE MK2
Compact USB Audio Interface, Updated with iPad Compatibility

Los Angeles, CA, January 21, 2013 — Roland is proud to introduce the DUO-CAPTURE mk2 USB Audio Interface, an updated version of the popular DUO-CAPTURE. Offering the same great features as its predecessor, the DUO-CAPTURE mk2 can now be used as an audio interface for the Apple iPad in addition to Windows and Mac computers.

Compact and portable, the DUO-CAPTURE mk2 is a bus-powered USB audio interface designed for musicians and engineers that record on the go with a laptop computer or iPad. It features a 1/4-inch Mic/Guitar input with an impedance selector, plus an 1/8-inch input for connecting stereo devices.

Stereo output is provided on 1/8-inch and 1/4-inch headphone outputs, both of which are available simultaneously. Input and output volume sliders provide convenient, fingertip level adjustment.

Audio drivers for the DUO-CAPTURE mk2 are available for both Windows and Mac OS X operating systems. When connected to the iPad via the Apple iPad Camera Connection Kit or Apple Lightning to USB Camera Adapter, the DUO-CAPTURE mk2 can be used with iOS music apps on the popular tablet.

Cakewalk SONAR X1 LE is included, providing Windows users a powerful DAW platform out of the box.

For more information, visit www.RolandConnect.com.

About Roland Corporation
Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.RolandUS.com/Media.

For embeddable videos, please visit http://www.YouTube.com/RolandChannel.

Apple, iPad and Mac are trademarks of Apple, Inc., registered in the U.S. and other countries.

Roland

Press Release

Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles CA 90040-2938
T: (323) 890-3700 F: (323) 890-3701 www.RolandUS.com

FOR IMMEDIATE RELEASE NOVEMBER 1, 2012

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND INTRODUCES TD-4KP V-DRUMS PORTABLE
Easy-to-transport V-Drums Kit with Innovative Folding Design

Los Angeles, CA, November 1, 2012 — Roland is proud to announce the TD-4KP V-Drums Portable, a compact, easy-to-transport electronic drum set with a unique and innovative folding design. This new set offers players the industry leading V-Drums sound and performance with maximum mobility and ultra-quick setup time.

The TD-4KP features a kick pad, a snare pad, three tom pads, and three cymbal pads (crash, ride, and hi-hat). An FD-8 Hi-Hat Controller pedal is included as well. The 7.5-inch snare and tom pads feature a cushioned rubber surface that provides a sensitive, accurate response and natural playing feel.

All the drum and cymbal pads are mounted on a durable, integrated stand that folds into a surprisingly small size for transport and storage. To put the kit back into playing position, the user simply unfolds the stand and pads.

The included TD-4 Percussion Sound Module delivers a wide range of expressive drum and percussion sounds that can be easily edited, allowing players to quickly customize their kits. Ambience effects optimized for drums are included for lively, dynamic performances. The Coach and Quick Rec/Quick Play functions are ideal for effective practice, providing drummers with valuable feedback for rapid improvement.

An optional CB-TDP Carrying Case provides a convenient way to transport and protect the TD-4KP. The custom-designed bag features a shoulder strap and detachable pouches for the FD-8 and a kick pedal, plus handy pockets for a kick beater, drumsticks, and other accessories. Users can also swap out the snare pad with an optional PDX-6/8 for a true mesh head feel and dual-triggering capability.

With its extremely portable fold-away design, great V-Drums sound, and expressive playing feel, the TD-4KP is a perfect fit for a wide range of users, from young students to drum teachers to gigging players. Its versatility and small footprint makes it ideal for many different environments, including bedrooms, apartments, lesson studios, rehearsal spaces, and more.

For more information on the TD-4KP, please visit
http://www.rolandus.com/products/details/1257/483.

About Roland Corporation
Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With more than 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.rolandus.com/media.

Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles CA 90040-2938
T: (323) 890-3700 F: (323) 890-3701 www.RolandUS.com

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND ANNOUNCES BK-3 BACKING KEYBOARD
Compact, Affordable Keyboard with Auto-Accompaniment

Los Angeles, CA, November 1, 2012 — Roland is pleased to announce the BK-3 Backing Keyboard, the latest member of its popular lineup of BK-series instruments with intelligent backing track technology. The BK-3 delivers exceptional sound quality and a large selection of music styles from around the world, providing full-ensemble backing at the touch of a button. With its affordable price, ease of use, and premium features, the BK-3 is perfect for a wide range of users, from hobbyists and home players to one-man bands and pro entertainers.

Completely self contained, the BK-3 features a 61-note keyboard, a global array of intelligent music and rhythm accompaniments, and a built-in stereo sound system. Master programmers from around the world have created special rhythms for the BK-3, putting a wide range of colorful, authentic music under the user's fingertips.

The BK-3 is outfitted with a top-level Roland sound engine (compatible with GM2, GS, and XG Lite formats), which provides over 800 great sounds and dozens of drum and percussion kits to choose from. A friendly and intuitive front panel makes navigation easy, with clearly labeled buttons, dedicated controls, and a LCD display.

Users can play a variety of external backing formats via convenient USB memory, including WAV and MP3 audio, SMF, and Roland rhythms (BK, E, G, and VA series). The playback tempo can easily be adjusted with all formats, including audio. A Center Cancel function reduces the volume of vocals in commercial WAV/MP3 audio files, ideal for karaoke singing and minus-one playing. It's also easy for players to record their performances directly to USB memory.

The BK-3 is compatible with Roland Wireless Connect, which allows users to communicate with an Apple iPhone or iPad over a wireless network via the optional WNA1100-RL Wireless USB Adapter. The free app for iPhone/iPad offers fun and useful integration with the BK-3, including Air Recorder, music sharing on social networks, and a lyrics display for SMF songs (with embedded lyrics) played on the BK-3.

The BK-3 comes in two different finishes: black (BK-3-BK) and white (BK-3-WH). For more information, please visit http://www.rolandus.com/products/details/1254/459.

About Roland Corporation
Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With

more than 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.rolandus.com/media.

☰Roland

Press Release

Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles CA 90040-2938
T: (323) 890-3700 F: (323) 890-3701 www.RolandUS.com

FOR IMMEDIATE RELEASE

Press Contact:
Rebecca Eaddy
Marketing Communications Manager
Roland Corporation U.S.
(323) 890-3718
Rebecca.Eaddy@RolandUS.com

ROLAND UNVEILS V-GUITAR TWIN PEDALS
Revolutionary Stompboxes with GK Processing and 13-pin Inputs

Los Angeles, CA, November 1, 2012 — Roland is pleased to announce the GR-D V-Guitar Distortion and GR-S V-Guitar Space pedals, two revolutionary new stompboxes designed for use with the GC-1 GK-Ready Stratocaster and other GK-compatible guitars with a 13-pin output. Housed in the popular Twin Pedal format and equipped with connections for integrating with standard pedals, amps, multi-effects, and other GK devices, the V-Guitar pedals deliver a wide range of unique sounds that can only be achieved with Roland's GK processing.

The GR-D V-Guitar Distortion and GR-S V-Guitar Space bring the immense power of GK technology to the familiar guitar stompbox. In combination with a guitar outfitted with a Roland GK pickup, the V-Guitar pedals allow players with traditional setups to enjoy some of the incredible sound potential found in cutting-edge Roland GK products like the GR-55 Guitar Synthesizer and VG-99 V-Guitar System. The pedals also give current GK users all-new additional sounds for their existing rig.

Unlike standard monophonic guitar pickups, the Roland GK pickup senses and isolates each individual string on the instrument, sending them as six discrete signals to a 13-pin jack. When connected to a GK device like a V-Guitar pedal, each string can be processed individually, opening up a universe of sound possibilities that are impossible with a normal ¼-inch guitar output.

The GR-D V-Guitar Distortion features four bold distortion sounds that are only achieved with GK processing. Included are two new VG Distortion tones, plus Poly Distortion and Synth sounds derived from the VG and GR series. GAIN, COLOR, TONE, LEVEL knobs allow the user to shape the sound, with four memory locations provided for storing custom settings for quick recall from the GK-compatible guitar while performing. A Solo function, accessible with one of the pedal's two footswitches, boosts the presence of the sound for lead playing.

The GR-S V-Guitar Space features four dynamic, spacious sounds made possible with GK processing: Crystal, Rich Modulation, Slow Pad, and Brilliant Clean. COLOR, TONE, LEVEL knobs are available for sound shaping, with four memory locations for storing custom settings. A Freeze function, accessible with one of the pedal's two footswitches, continuously holds the current sound for lead backing and impressive sound effects.

The rear panels of the V-Guitar pedals are loaded with connectivity options for integrating with a wide variety of setups. There's a 13-pin input for connecting a GK-compatible guitar, and mono/stereo output jacks for connecting to pedals, multi-effects, amps, mixing consoles, and more. A G. AMP/LINE switch sets the signal level and output tone to match the connected device.

Dual MIX/GUITAR inputs allow players to connect a standard ¼-inch guitar output, pedals, or multi-effects and blend them with the GK sound. All sounds are mixed internally and passed to the mono/stereo output.

The 13-pin GK output carries the guitar's normal pickup signal as well, and it's sent unprocessed to the V-Guitar pedal's mono/stereo output. Controls on the GK-compatible guitar allow the player to blend the GK and normal sounds right from their instrument. A dedicated GUITAR OUTPUT jack lets users connect the V-Guitar pedal directly to an effect or amp with no GK processing applied.

Roland's popular GC-1 GK-Ready Stratocaster is a perfect fit for the V-Guitar pedals, and there are GK-compatible guitars available from many other manufacturers as well. Roland also offers the GK-3 Divided Pickup, allowing players to easily add GK compatibility to their favorite guitar with no modification.

For more information regarding the GR-D V-Guitar Distortion pedal, please visit http://www.rolandus.com/products/details/1255/475.

For more information regarding the GR-S V-Guitar Space pedal, please visit http://www.rolandus.com/products/details/1256/475.

About Roland Corporation
Roland Corporation is a leading manufacturer and distributor of electronic musical instruments, including keyboards and synthesizers, guitar products, electronic percussion, digital recording equipment, amplifiers, audio processors, and multimedia products. With more than 40 years of musical instrument development, Roland sets the standard in music technology for the world to follow. For more information, visit http://www.RolandUS.com.

For high-resolution images of this product, please visit http://www.rolandus.com/media.